

### Energy balance and colorectal cancer risk

Citation for published version (APA):

Jenniskens, J. C. A. (2022). Energy balance and colorectal cancer risk: A role for cancer cell metabolism? [Doctoral Thesis, Maastricht University]. Maastricht University. https://doi.org/10.26481/dis.20221104jj

Document status and date: Published: 01/01/2022

DOI: 10.26481/dis.20221104jj

**Document Version:** Publisher's PDF, also known as Version of record

#### Please check the document version of this publication:

 A submitted manuscript is the version of the article upon submission and before peer-review. There can be important differences between the submitted version and the official published version of record. People interested in the research are advised to contact the author for the final version of the publication, or visit the DOI to the publisher's website.

• The final author version and the galley proof are versions of the publication after peer review.

 The final published version features the final layout of the paper including the volume, issue and page numbers.

Link to publication

#### General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these riahts.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
  You may freely distribute the URL identifying the publication in the public portal.

If the publication is distributed under the terms of Article 25fa of the Dutch Copyright Act, indicated by the "Taverne" license above, please follow below link for the End User Agreement:

www.umlib.nl/taverne-license

#### Take down policy

If you believe that this document breaches copyright please contact us at:

repository@maastrichtuniversity.nl

providing details and we will investigate your claim.

IMPACT

This section addresses the relevance and the potential scientific and social impact of the research presented in this thesis.

### RELEVANCE

Colorectal cancer has been amongst the five most common cancers worldwide for decades<sup>1-4</sup>, with an estimated 1.9 million new cases in 2020<sup>4</sup>. It has been estimated that more than 50% of colorectal cancers are attributable to modifiable risk factors and thus potentially preventable<sup>5</sup>. Organizations like the World Cancer Research Fund (WCRF) and the International Agency for Research on Cancer (IARC) regularly publish updated reports on scientific evidence for cancer prevention<sup>6, 7</sup>. Both reports indicate convincing evidence for associations of adiposity, height, and physical activity with colorectal cancer risk. However, while many studies reported associations between these energy balance-related factors and colorectal cancer, associations often appear to be weak and are not always consistent between studies<sup>8</sup>. This might be caused by disease heterogeneity, i.e. when exposure factors are differentially associated with subgroups of a disease<sup>9</sup>. This issue is being addressed by using a molecular pathological epidemiology (MPE) approach, as was done in the current thesis.

MPE is an emerging transdisciplinary field incorporating molecular pathology into epidemiological research<sup>10</sup>. Classification of (colorectal) cancers into subgroups based on specific molecular characteristics addresses disease heterogeneity, whereby weak or masked associations can be revealed. In addition, MPE research can strengthen the evidence for causal relationships by providing further insights into etiology and pathogenesis of a disease. In the current thesis, we investigated whether energy balance-related factors (i.e. adiposity, physical activity, height, and energy restriction) are differentially associated with risk of colorectal cancer subgroups based on estimated presence of the Warburg-effect.

After the discovery of the Warburg-effect (i.e. increased glycolysis under aerobic conditions) in the 1920s<sup>11</sup>, a long period passed with lack of interest in this phenomenon. In recent decades, however, the Warburg-effect regained interest in the scientific community. We were the first to investigate whether the Warburg-effect might be involved in the etiological pathway between energy balance-related factors and colorectal cancer. The results presented in this thesis indicate involvement of the Warburg-effect in the etiological pathway of adiposity with colon cancer. The etiological pathway of physical activity and adult-attained height are probably explained by mechanisms other than the Warburg-effect. No clear patterns were observed for the three energy restriction proxies. Since we were the first to investigate these associations, confirmation in additional large prospective MPE studies is required. Nevertheless, the suggested involvement of the Warburg-effect in the association between adiposity and colon cancer contributes additional insights

into the underlying mechanisms of this etiological pathway. A better understanding of how exposures (such as energy balance-related factors) affect disease initiation may ultimately improve preventive strategies. In addition, in a study that was not included in the current thesis, we observed that colorectal cancer cases with estimated presence of the Warburg-effect had a worse survival compared to cases without<sup>12</sup>. Therefore, this new way of colorectal cancer subtyping based on estimated presence of the Warburg-effect seems to have both etiological as prognostic significance.

More generally, the results presented in this thesis support the evidence that energy balance-related factors like adiposity, height, and physical activity are associated with colorectal cancer risk. In addition, our results revealed stronger associations for specific subgroups of colorectal cancer, further demonstrating how important these factors are in the prevention of colorectal cancer. Over the past decades, overweight and obesity has been rising amongst adults as well as children and adolescents. Among Dutch adults (age  $\geq 20$  years), overweight has increased from 35.3% in 2001 to 36.8% in 2020, and obesity from 9.6% to 14.2%<sup>13</sup>. In Dutch children and adolescents (age 4-19 years), overweight has increased from 9.2% in 2001 to 12.5% in 2020, whereas the percentage of obese children and adolescents remained the same (2.5%)<sup>13</sup>. These numbers are alarming and highlight the need of prevention with a focus on a healthy energy balance throughout life.

### **KNOWLEDGE TRANSFER**

The scientific knowledge presented in this thesis has been shared with fellow researchers through publication in several international scientific journals. In addition, our results have been presented at various conferences and symposia for different audiences. Our results have been presented online at the Virtual Annual Meeting (2021) of the American Association for Cancer Research (AACR), which is a large international conference with a broad audience of cancer researchers. Furthermore, our results have been presented online at the 13th Joint Meeting of the British Division of the International Academy of Pathology and the Pathological Society of Great Britain & Ireland (Manchester Pathology 2021) and online at the Dutch Epidemiological conference (WEON 2021). The audience of these conferences mainly consists of pathologists and epidemiologists, respectively. Lastly, our results were presented live at the Science Day of the Maastricht University Medical Centre+, of which the audience consisted of a broad audience of researchers and clinicians.

## CONCLUSION

In this thesis, we investigated associations between energy balance-related factors and colorectal cancer risk in relation to subtypes based on the estimated presence of the Warburg-effect in the tumor. Our results underline the importance of preventive strategies aimed at reaching and/or maintaining a healthy energy balance throughout life. Since we were the first to investigate these associations in relation to the Warburgeffect, confirmation of the results presented in this thesis is necessary. Nevertheless, these results provide additional insights into underlying mechanisms of the etiological pathway between energy balance-related factors and colorectal cancer risk, which may ultimately improve preventive strategies.

# REFERENCES

- Ferlay J, Shin HR, Bray F, Forman D, Mathers C, Parkin DM. Estimates of worldwide burden of cancer in 2008: GLOBOCAN 2008. International journal of cancer. 2010;127(12):2893-917.
- Torre LA, Bray F, Siegel RL, Ferlay J, Lortet-Tieulent J, Jemal A. Global cancer statistics, 2012. CA: a cancer journal for clinicians. 2015;65(2):87-108.
- Bray F, Ferlay J, Soerjomataram I, Siegel RL, Torre LA, Jemal A. Global cancer statistics 2018: GLOBOCAN estimates of incidence and mortality worldwide for 36 cancers in 185 countries. CA: a cancer journal for clinicians. 2018;68(6):394-424.
- Sung H, Ferlay J, Siegel RL, Laversanne M, Soerjomataram I, Jemal A, Bray F. Global cancer statistics 2020: GLOBOCAN estimates of incidence and mortality worldwide for 36 cancers in 185 countries. CA: a cancer journal for clinicians. 2021;71(3):209-49.
- Islami F, Goding Sauer A, Miller KD, Siegel RL, Fedewa SA, Jacobs EJ, McCullough ML, Patel AV, Ma J, Soerjomataram I. Proportion and number of cancer cases and deaths attributable to potentially modifiable risk factors in the United States. CA: a cancer journal for clinicians. 2018;68(1):31-54.
- World Cancer Research Fund/American Institute for Cancer Research. Diet, nutrition, physical activity and cancer: a global perspective. Continuous Update Project Expert Report 2018.
- Wild C, Weiderpass E, Stewart B. World cancer report 2020. Lyon: International Agency for Research on Cancer. 2020;199:512.

- Abar L, Vieira AR, Aune D, Sobiecki JG, Vingeliene S, Polemiti E, Stevens C, Greenwood DC, Chan DS, Schlesinger S. Height and body fatness and colorectal cancer risk: an update of the WCRF–AICR systematic review of published prospective studies. European journal of nutrition. 2018;57(5):1701-20.
- Ogino S, Chan AT, Fuchs CS, Giovannucci E. Molecular pathological epidemiology of colorectal neoplasia: an emerging transdisciplinary and interdisciplinary field. Gut. 2010:gut. 2010.217182.
- Ogino S, Stampfer M. Lifestyle factors and microsatellite instability in colorectal cancer: the evolving field of molecular pathological epidemiology. Oxford University Press; 2010. p. 365-7.
- Warburg O. The metabolism of carcinoma cells. The Journal of Cancer Research. 1925;9(1):148-63.
- Offermans K, Jenniskens JCA, Simons CCJM, Samarska I, Fazzi GE, Smits KM, Schouten LJ, Weijenberg MP, Grabsch HI, van den Brandt PA. Expression of proteins associated with the Warburg-effect and survival in colorectal cancer. The Journal of Pathology: Clinical Research. 2022;8(2):169-80.
- Centraal Bureau voor de Statistiek (2021). Gezondheid, leefstijl, zorggebruik en -aanbod, doodsoorzaken; kerncijfers. [Available from: https://www.cbs.nl/nl-nl/ cijfers/detail/81628NED?q=overgewicht].