

Perinatal brain damage : possible therapeutic approaches to hypoxic-ischemic cerebral injury, studied in fetal animals

Citation for published version (APA):

Garnier, Y. (2003). *Perinatal brain damage : possible therapeutic approaches to hypoxic-ischemic cerebral injury, studied in fetal animals*. [Doctoral Thesis, Maastricht University]. Shaker Verlag. <https://doi.org/10.26481/dis.20030117yg>

Document status and date:

Published: 01/01/2003

DOI:

[10.26481/dis.20030117yg](https://doi.org/10.26481/dis.20030117yg)

Document Version:

Publisher's PDF, also known as Version of record

Please check the document version of this publication:

- A submitted manuscript is the version of the article upon submission and before peer-review. There can be important differences between the submitted version and the official published version of record. People interested in the research are advised to contact the author for the final version of the publication, or visit the DOI to the publisher's website.
- The final author version and the galley proof are versions of the publication after peer review.
- The final published version features the final layout of the paper including the volume, issue and page numbers.

[Link to publication](#)

General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal.

If the publication is distributed under the terms of Article 25fa of the Dutch Copyright Act, indicated by the "Taverne" license above, please follow below link for the End User Agreement:

www.umlib.nl/taverne-license

Take down policy

If you believe that this document breaches copyright please contact us at:

repository@maastrichtuniversity.nl

providing details and we will investigate your claim.

STELLINGEN

behoerende bij het proefschrift

Perinatal Brain Damage

**Possible Therapeutic Approaches to
Hypoxic-Ischemic Cerebral Injury,
Studied in Fetal Animals**

van

Yves Garnier

-
1. Magnesium provides neuroprotection *in vitro* but seems to increase perinatal mortality *in vivo* (*dit proefschrift*).
 2. The excitatory neurotransmitter glutamate plays a critical role during focal cerebral ischemia, i.e. stroke, but seems to be of less importance under the conditions of global cerebral ischemia (*dit proefschrift*).
 3. In utero exposure to infection plays an important role in the etiology of perinatal brain injury. However, the link between antenatal infection and brain white matter damage is still poorly understood (*dit proefschrift*).
 4. While controlling body temperature of the asphyxiated preterm infant is essential, selective cooling of the newborn head seems to improve neurological outcome after hypoxia-ischemia (*dit proefschrift*).
 5. Nitric oxide has a dichotomous role in the fetus: from a central mediator in fetal cardiovascular control to a cytotoxic agent in cerebral hypoxia-ischemia (*dit proefschrift*).
 6. Proinflammatory cytokines, previously thought to be specific for only the immune system, are now further known as peptide neurotransmitters influencing the development and functioning of the nervous system.
 7. Converging evidence supports the hypothesis that antenatal disruption of neurodevelopment may play a key role in the pathogenesis of schizophrenia.
 8. Expressionistic art - from celebrated avantgarde at the beginning of the 20th century to 'degenerate art' in Nazi-Germany.
 9. Der Vogel kämpft sich aus dem Ei. Das ist die Welt. Wer geboren werden will, muß eine Welt zerstören. (*Hermann Hesse*)
 10. Das dunkle Mittelalter - eine Zeit des wissenschaftlichen Stillstandes! Klischee oder Wirklichkeit?
 11. The major differences in organisation of health care and in training programmes of residents between European countries, interferes strongly with the supposed free exchange of doctors between these countries.