

## The calcium paradox

Citation for published version (APA):

Wasilewski, G. (2022). The calcium paradox: the role of vitamin K in the bone-vascular axis. [Doctoral Thesis, Maastricht University]. Maastricht University. https://doi.org/10.26481/dis.20220222gw

Document status and date: Published: 01/01/2022

DOI: 10.26481/dis.20220222gw

**Document Version:** Publisher's PDF, also known as Version of record

### Please check the document version of this publication:

 A submitted manuscript is the version of the article upon submission and before peer-review. There can be important differences between the submitted version and the official published version of record. People interested in the research are advised to contact the author for the final version of the publication, or visit the DOI to the publisher's website.

• The final author version and the galley proof are versions of the publication after peer review.

 The final published version features the final layout of the paper including the volume, issue and page numbers.

Link to publication

#### General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these riahts.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
  You may freely distribute the URL identifying the publication in the public portal.

If the publication is distributed under the terms of Article 25fa of the Dutch Copyright Act, indicated by the "Taverne" license above, please follow below link for the End User Agreement:

www.umlib.nl/taverne-license

#### Take down policy

If you believe that this document breaches copyright please contact us at:

repository@maastrichtuniversity.nl

providing details and we will investigate your claim.

# Summary

In this thesis, I investigated the role of vitamin K in both the skeletal and vascular system. I focussed on processes involved in vascular calcification (VC) and bone mineralisation aiming to glean the molecular mechanisms behind it. This thesis entails a literature review followed by *in vivo* and *in vitro* studies trying to elucidate these aspects.

**Chapter 2** elaborates on the role of vitamin K on calcium supplementation in the bone-vascular axis. Calcium supplements are generically prescribed to combat bone-loss and increase bone strength. We discuss the impact of vitamin K and vitamin K dependent proteins (VKDPs) in bone and vascular. Data in postmenopausal women suggest that calcium supplementation significantly correlates with cardiovascular morbidity and morbidity yet provides little benefit on bone. This phenomenon is described as the "calcium paradox" and describes the simultaneous decline in bone calcium mineral content with the deposition of calcium at extra-osseous sites. Dialysis patients are also often prescribed calcium supplements in the form of phosphate binders (PBs) and their use is associated with increased VC. Initiation and progression of VC in dialysis patients correlates with impaired mineral metabolism represented by elevated serum levels of phosphate. Any increase in calcium results in pathological calcium-phosphate precipitation. In chapter 1, we impose the supplementation of vitamin K in the dietary regimen. We provide a literature overview that shows that vitamin K supplementation can benefit both vasculature and bone, preventing calcium residing in soft tissues including arteries and improving skeletal parameters.

In **Chapter 3** we describe a novel preclinical *in vivo* model of vitamin K deficiency in CKD, representing the clinical situation of end-stage CKD patients. Using this model, we showed that the use of PB treatment is not sufficient to prevent ectopic calcification. However, combining PBs with high vitamin K2 supplementation, counteracting the vitamin K deficiency, strongly attenuates VC. This protective calcification effect is likely accomplished by the synergistic effect of combined PB treatment and vitamin K2 supplementation. Incorporation of vitamin K2 into PBs treatment also improved the levels of vascular matrix Gla-protein, a vitamin K dependent protein involved in the inhibition of vascular calcification. This study aids the understanding of the role of vitamin K in CKD and suggests the supplementation of vitamin K in the clinical setting.

In **Chapter 4** we investigated the role of vitamin K2 in bone formation. Vitamin K2 is known to exert a plethora of effects on the skeletal system resulting in increased bone mineral density. We report the successful differentiation of osteoblast using an iPSCs model of osteogenesis. Our data suggest a non-canonical function of VKDPs in early differentiation events, that can be modelled using iPSCs. We show that vitamin K2 induces an osteogenic cellular phenotype that might prove beneficial towards the development of tissue engineering solutions. This is accompanied by reducing oxidative stress diminishing the inflammatory response during bone formation. Our data provide the first account of several mechanisms of osteogenesis from iPSCs and the influence of vitamin K2 on the osteogenic processes.

**Chapter 5** provides insights into the inhibitory role of vitamin K2 and the calcium-channel blockers, amlodipine and gabapentin in VSMC mineralisation. We characterised the contractile, synthetic and chondrocyte-like VSMC phenotype and compared these to articular chondrocytes. Phenotypic modulation of VSMCs into synthetic and chondrocyte-like VSMCs is accompanied by loss of contractile markers, increased oxidative stress and greater calcium influx. Differentiated cells are more prone to mineralisation which is reflected by greater extracellular vesicle (EV) release. Chondrocytes release fewer EVs and calcify to a lesser extent than chondrocyte-like VSMCs. We identified several genes that might drive the calcification of VSMCs and account for the difference in the amount of mineralisation. Additionally, we provide evidence that vitamin K2 can inhibit VC *in vitro*. Finally, using our *in vitro* 

model we demonstrate the inhibitory role of amlodipine and gabapentin in reducing VC of contractile, synthetic and chondrocyte-like VSMCs via a EV independent mechanism.