

## The role of prediction and attention in phantom voice perception

Citation for published version (APA):

Duggirala, S. X. (2024). The role of prediction and attention in phantom voice perception. [Doctoral Thesis, Maastricht University]. Maastricht University. https://doi.org/10.26481/dis.20240423sd

Document status and date: Published: 01/01/2024

DOI: 10.26481/dis.20240423sd

**Document Version:** Publisher's PDF, also known as Version of record

## Please check the document version of this publication:

 A submitted manuscript is the version of the article upon submission and before peer-review. There can be important differences between the submitted version and the official published version of record. People interested in the research are advised to contact the author for the final version of the publication, or visit the DOI to the publisher's website.

• The final author version and the galley proof are versions of the publication after peer review.

 The final published version features the final layout of the paper including the volume, issue and page numbers.

Link to publication

## General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these riahts.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
  You may freely distribute the URL identifying the publication in the public portal.

If the publication is distributed under the terms of Article 25fa of the Dutch Copyright Act, indicated by the "Taverne" license above, please follow below link for the End User Agreement:

www.umlib.nl/taverne-license

## Take down policy

If you believe that this document breaches copyright please contact us at:

repository@maastrichtuniversity.nl

providing details and we will investigate your claim.

Impact Paragraph

Investigating the changes in sensory predictive processing, attentional control, and emotion processing as a function of hallucination proneness (HP), with self-voice production as an example, advances our understanding of the neural mechanisms underlying voice hearing. The findings subsumed in this dissertation provide a differentiated theoretical account and give insights that are relevant for future empirical inquiries. Specifically, these findings provide empirical evidence for the existence of a neurophysiological continuum of HP by confirming that individuals with high proneness to hallucinations exhibit alterations in the N100-suppression effect to self-generated own vocalizations, previously shown in voice hearers with a psychotic disorder (Ford & Mathalon, 2004; Ford, Mathalon, Heinks, et al., 2001; Ford, Mathalon, et al., 2001b; Ford et al., 2013; Pinheiro et al., 2018). This may imply that the N100suppression effect could be a neurophysiological marker that may allow predicting transitions from non-clinical to clinically relevant voice hearing (Oestreich et al., 2015).

By specifically targeting non-clinical individuals who are highly prone to hallucinations, researchers can gain valuable insights into the mechanisms underlying positive symptoms of psychosis. Drawing from the neurophysiological continuum evidence, future research could pinpoint alterations in specific brain regions, neural circuits, and neurotransmitter functioning in non-clinical high HP individuals to establish a basis for the development and the refinement of targeted pharmacological interventions. Furthermore, the advantage of the continuum perspective is that it provides the rationale to study individuals along this continuum who are not diagnosed with a psychotic disorder but exhibit potential precursors in terms of similar symptoms or characteristics. Potentially confounding factors such as medication, illness onset and awareness of illness are not found in these individuals. The acceptance and credibility of the continuum perspective of psychosis rely on empirical evidence. This evidence serves to destigmatize the concept of hearing voices and encourages the acknowledgment that varying degrees of vulnerability are inherent in all individuals (Bentall, 2003; Kessler, 2002).

The research conducted in this dissertation has been disseminated through a variety of channels, including science communication platforms (e.g., FEM-Female

Empowerment at University of Maastricht), international scientific conferences (e.g., The Federation of European Neuroscience Societies (FENS) and Congress of the Schizophrenia International Research Society (SIRS)), and engagement with the general public (e.g., Pint of Science). The findings presented here are openly accessible through publication in journals that adhere to an open access policy. This facilitates the transfer of knowledge and supports the potential for replication of the research. Beyond the scientific community, efforts have been made to make aspects of this research accessible to the general public in the Netherlands. This outreach has included explaining the research in layman language without using scientific jargon during events like "Pint of Science." Additionally, opportunities have been taken to introduce Psychology bachelor students from Maastricht University and Bangaluru City University, India to research methodologies and to the neurofunctional mechanisms underlying voice hearing. Online events have been utilized to showcase the outcome of the empirical studies in seminars discussing the contributions of women in science at Maastricht University.