

The Effects Of Lifestyle And Dietary Intake On Health Outcomes And The Metabolic Syndrome Among Lebanese University Students

Citation for published version (APA):

Haidar, S. A. (2019). *The Effects Of Lifestyle And Dietary Intake On Health Outcomes And The Metabolic Syndrome Among Lebanese University Students*. [Doctoral Thesis, Maastricht University]. ProefschriftMaken Maastricht. <https://doi.org/10.26481/dis.20190118sh>

Document status and date:

Published: 01/01/2019

DOI:

[10.26481/dis.20190118sh](https://doi.org/10.26481/dis.20190118sh)

Document Version:

Publisher's PDF, also known as Version of record

Please check the document version of this publication:

- A submitted manuscript is the version of the article upon submission and before peer-review. There can be important differences between the submitted version and the official published version of record. People interested in the research are advised to contact the author for the final version of the publication, or visit the DOI to the publisher's website.
- The final author version and the galley proof are versions of the publication after peer review.
- The final published version features the final layout of the paper including the volume, issue and page numbers.

[Link to publication](#)

General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal.

If the publication is distributed under the terms of Article 25fa of the Dutch Copyright Act, indicated by the "Taverne" license above, please follow below link for the End User Agreement:

www.umlib.nl/taverne-license

Take down policy

If you believe that this document breaches copyright please contact us at:

repository@maastrichtuniversity.nl

providing details and we will investigate your claim.

Summary

Summary

Cardiovascular disease (CVD) is the leading cause of death in Lebanon, and more than a third of the Lebanese Population suffers from a full diagnosis of the Metabolic syndrome which in turn increases the risk for diabetes, stroke and further developing heart disease. Furthermore, obesity rates in Lebanon are at an all time high with the highest rise being among the young. The financial burden of heart disease is hefty and prevention programs must be implemented to decrease the economical strain secondary to the disease. Such prevention programs should be evidence based and should target vulnerable groups to initiate appropriate change since most of the risk factors for metabolic syndrome, heart disease and obesity are modifiable. Therefore our aim, in this thesis, was to assess whether university students are a high risk group vulnerable to weight gain during the freshman year as are students in more developed countries. Therefore in chapter 3 we assessed, via a longitudinal study, the freshman 15 phenomena and its predictors in a sample of Lebanese students and found that students did gain on average 4,2 lb(1.9 kg) and were unaware of the increase in the weight they had experience thus necessitating the need for awareness programs which focus on self monitoring of weight.

We also assessed stress level in our student sample and we did not find that increased stress levels were significantly associated with weight gain(Chapter 3.) Additionally a systematic review was conducted to further assess the association between stress, anxiety and weight change among collegians (Chapter 2) however no firm conclusions could be generated from the studies used in the review as there were inconsistent results and most of the studies were observational in design.

Furthermore, we were able to estimate the prevalence rate of the metabolic syndrome in university students, through a cross-sectional study (chapter 4.) The prevalence rate was found to be approximately 6.4%. Moreover, 90% of the students were found to suffer from at least one metabolic abnormality, the most common being substandard levels of HDL-cholesterol The second most common abnormality was an elevated waist circumference which was observed in more than 50% of the students sampled.

Furthermore, since preclinical studies suggest that circulating levels of a recently identified myokine, β -amino-isobutyric acid (BAIBA), may have a role in obesity management and may improve cardiometabolic health, we aimed at assessing among our student sample whether serum BAIBA is associated with level of physical activity, BMI and other markers of cardiometabolic risk (chapter 5.)

However serum BAIBA levels were not found to be related to nutritional status, metabolic status, and physical activity, but were found to be inversely related to diastolic blood

pressure in males. This has decreased the confidence in its therapeutic potential. As a result of the data presented in this thesis we can conclude that university students are a high risk and vulnerable group to weight gain and cardiometabolic derangements and thus should be targeted proactively with evidence based prevention programs which should ideally be implemented at a university level.