

Modern Techniques for Ancient Games

Citation for published version (APA):

Browne, C. (2018). Modern Techniques for Ancient Games. In *2018 IEEE Conference on Computational Intelligence and Games, CIG 2018, Maastricht, The Netherlands, August 14-17, 2018* (pp. 490-497). IEEE. <https://doi.org/10.1109/CIG.2018.8490420>

Document status and date:

Published: 01/01/2018

DOI:

[10.1109/CIG.2018.8490420](https://doi.org/10.1109/CIG.2018.8490420)

Document Version:

Early version submitted to journal

Document license:

Unspecified

Please check the document version of this publication:

- A submitted manuscript is the version of the article upon submission and before peer-review. There can be important differences between the submitted version and the official published version of record. People interested in the research are advised to contact the author for the final version of the publication, or visit the DOI to the publisher's website.
- The final author version and the galley proof are versions of the publication after peer review.
- The final published version features the final layout of the paper including the volume, issue and page numbers.

[Link to publication](#)

General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal.

If the publication is distributed under the terms of Article 25fa of the Dutch Copyright Act, indicated by the "Taverne" license above, please follow below link for the End User Agreement:

www.umlib.nl/taverne-license

Take down policy

If you believe that this document breaches copyright please contact us at:

repository@maastrichtuniversity.nl

providing details and we will investigate your claim.

AI for Ancient Games

Report on the Digital Ludeme Project

Cameron Browne

Received: 4/10/2018 / Accepted: ?

Abstract This report summarises the Digital Ludeme Project, a recently launched five-year research project being conducted at Maastricht University. This computational study of the world’s traditional strategy games seeks to improve our understanding of early games, their development, and their role in the spread of related mathematical ideas throughout recorded human history.

Keywords Ancient Games · General Game Systems · Strategy Learning, Transfer and Explanation · Digital Ludeme Project · Digital Archæoludology

1 Introduction

All human cultures throughout history have played games [1]. But while there exists ample archæological evidence of ancient games – typically game boards and pieces – the rules for actually playing these games are not always known, creating huge gaps in our knowledge of this important part of our cultural heritage.

The Digital Ludeme Project¹ is a five-year research project being conducted at Maastricht University over 2018–23, funded by a European Research Council (ERC) Consolidator Grant. The objectives of the project are to:

1. *Model*: the full range of traditional strategy games in a single, playable digital database.
2. *Reconstruct*: missing knowledge about traditional strategy games with an unprecedented degree of accuracy.
3. *Map*: the development of traditional strategy games and explore their role in the development of human culture and the spread of mathematical ideas.

C. Browne
Department of Data Science and Knowledge Engineering (DKE)
Bouillonstraat 8-10, 6211 LH, Maastricht, The Netherlands
E-mail: cameron.browne@maastrichtuniversity.nl

¹ <http://www.ludeme.eu>



Fig. 1 Queen Nefertari playing Senet (c.1279–1213BC).

An ultimate goal of the project is to produce a “family tree” of the world’s traditional strategy games, with which the dispersal of games and related mathematical ideas might be traced throughout recorded history. *Traditional strategy games* are those with no proprietary owner [2, p.5] that exist in the public domain, and in which players succeed through mental rather than physical acumen. This study will cover the full range of such games throughout recorded human history, i.e. from around 3500BC, from all countries and cultures worldwide. This paper gives a brief overview of this project, which is still in its early stages, with an emphasis on relevant AI aspects.

Research Context While there is much archaeological evidence of ancient games, the rules for playing them are usually lost [3] and must be reconstructed by historians according to their knowledge of the cultures in which they were played [4,5]. While there has been considerable historical research into games and their use as tools of cultural analysis, much is based on the interpretation of partial evidence with little mathematical analysis, and our modern understanding of ancient games is based on (unreliable) modern reconstructions.

For example, Figure 1 shows ancient Egyptian hieroglyphic art depicting Queen Nefertari playing Senet, one of the first known board games, c.1279–

1213BC.² While many copies of Senet have been found dating back over 5,000 years – including complete sets with board and pieces in pristine condition – no written account of how the game was actually played has ever been found. Historians have had to piece together probable reconstructions from clues found in hieroglyphic art and their knowledge of ancient Egyptian culture, and the game is played today according to a variety of contrasting rule sets.

The literature abounds with examples of plausible reconstructions that have later proven flawed due to translation errors, transcription errors, bad assumptions, crippling oversights, etc., stemming from a lack of appropriate mathematical analysis. The archaeological record of ancient games has the potential to offer valuable insights into this aspect of our cultural heritage, and allow useful comparative cultural analyses, but not until the appropriate tools are developed to allow a greater degree of mathematical rigour.

2 Modelling Games

The project will involve a comparison of the world’s 1,000 most influential traditional strategy games throughout recorded history. This requires a model capable of describing the full range of games in a single consistent format.

Ludemes Games are modelled as structures of *ludemes*, i.e. game memes or conceptual units of game-related information [6]. These constitute a game’s underlying building blocks and distinguish between its *form* (rules and equipment) and *function* (behaviour that emerges through play) to provide a clear genotype/phenotype analogy. Ludemes are the high-level conceptual terms that human designers use to describe games, which make games easier to model, compare and manipulate digitally.

For example. Table 1 shows the game of Tic-Tac-Toe in ludemic form. This description is simple, clear, encapsulates key concepts and labels them with meaningful names. Breaking games down into ludemes makes them easier to model, compare and manipulate digitally, and makes it possible the model the full range of traditional games in a single playable database.

Table 1 Ludemic Description of Tic-Tac-Toe

```
(game "Tic-Tac-Toe"
  (mode 2)
  (equipment (board (square 3)))
  (rules
    (play (to (mover) (empty)))
    (end (line length:3) (result Mover win)))
  )
)
```

² New York Metropolitan Museum: <https://www.metmuseum.org/art/collection/search/548355> (CCO 1.0).

2.1 The LUDII General Game System

The ludemic model forms the basis of a new *general game system* (GGS) called LUDII that will be able to play, evaluate and optimise and sufficiently wide range of games. It builds on my earlier LUDI system [7] but offers much greater generality and extensibility due to a new *class grammar* approach [8] which compiles ludemic descriptions directly into executable code. The programming language (Java) effectively becomes the GDL, allowing the definition of almost any known ludeme for traditional games of strategy.

MCTS Move Planning AI move planning will be performed using *Monte Carlo tree search* (MCTS) [9] with playouts biased by features learnt through self-play. MCTS has become the preferred approach for general game playing over recent years, due to its ability to devise plausible actions in the absence of domain knowledge about the given task. It can prove weak for some games, but generally provides a good baseline level of AI play for most games.

The combination of deep learning with MCTS has recently had spectacular success with Go [10]. However, this level of superhuman performance is not required for this project, where a more modest level of play pitched just beyond average human level is preferable, in order to estimate the potential of games to interest human players. Superhuman AI that plays differently to humans could actually bias evaluations; instead, we want an AI that makes moves that human players would plausibly make.

Strategic Features MCTS playouts are biased by lightweight features representing local geometric piece patterns. These are based on the adjacency of the board underlying graph, rather than being tied to any one particular board topology, to facilitate the transfer of learnt features readily between different board types. For example, Figure 2 shows a pattern known to benefit connection games played on the hexagonal grid [11] (left) transferred to a square grid (right). The "+" indicates a good move to make when this pattern is found.




Fig. 2 A strong pattern for hexagonal connection games transferred to a square grid.

It is hypothesised that such piece patterns encode local strategies relevant to the game being played. If true, then this provides a potential metric with

which to measure the full range of games for *quality* (i.e. their potential to interest human players) for evaluating reconstructed rule sets.

Lantz *et al.* propose the *strategy ladder* [12] and suggest that the most interesting games are those in which players are able to immediately learn some basic strategies as they play the game, and continue to learn increasingly complex strategies the more they play it. This seems most appropriate for the games being studied in this project, i.e. traditional *strategy* games.

3 Reconstruction

We aim to produce better reconstructions of rule sets for traditional strategy games that maximise both: 1) the historical *authenticity* of rule sets as cultural artefacts, and 2) their *quality* as games.

Genetics of Games In order to map the dispersal of traditional strategy games, it is useful to cast the mechanism for their evolution into a biological genetic framework. Anthropologist Alex de Voogt has stated: *There is nothing genetic about board games. There are no genes or mental parameters that only change with a new generation of people as in linguistics or in biology* [13, p.105]. However, the ludemic model allows us to distinguish between the *form* of a game defined by its ludemic makeup of rules and equipment (i.e. genotype) and the *function* of a game defined by the behaviour it exhibits when played (i.e. phenotype). Ludemes are the “DNA” that define each game, and the ludemic approach has already proven to be a valid and powerful model for evolving games [7].

Computational Phylogenetics Once a genetic framework has been established, *computational phylogenetics* techniques such as those used to create phylogenetic trees mapping the dispersal of human language [14] can be applied. Such techniques allow *ancestral state reconstruction* for estimating the likelihood of given traits occurring in “ancestor” games, and the inference of possible *missing links* in the form of unknown games suggested by the phylogenetic record for which no evidence exists.

Phylogenetic techniques have previously been applied to subsets of Mancala games [15] and Chess-like games [16]. However, phylogenetic analyses of such cultural domains tend to confuse the genotype and phenotype of artefacts, yielding classifications of questionable value based on superficial traits rather than meaningful underlying structures [17]. List *et al.* provide guidelines for correctly casting cultural domains in a biological framework [18].

Game Distance Games do not contain the traces of genetic heritage that biological organisms do; rule sets are typically optimised and superfluous rules stripped out, making their heritage hard to trace. In lieu of a metric for genetic distance, the *ludemic distance* between games will be used, given by the *weighted edit distance* (WED) between ludemic descriptions, i.e. the number of




Fig. 3 Horizontal Influence Map showing connections between programming languages [23].

removals, insertions and edits required to convert one into the other, weighted according to the relative importance of each attribute. This is similar in principle to the *Hamming distance* used to quantify the similarity between DNA sequences in bioinformatics [19]. Care must be taken to detect and handle *homologies* [20] that occur when different ludeme structures produce the same behaviour in play.

Horizontal Influence Maps Morrison points out that phylogenetic *networks* may be more suitable than *trees* for modelling the evolution of cultural artefacts [21]. This seems especially relevant for games, which are more likely to have evolved through distributed *polygenesis* from multiple sources than *monogenesis* from a single common ancestor [22], and in which rules can pass from one to another through *ethnogenesis* (i.e. horizontal gene transfer) rather than classic inheritance. The prevalence of ethnogenesis in the spread of games could warrant the use of *horizontal influence maps* (HIM) [23] rather than standard phylogenetic approaches based on vertical gene transfer. For example, Figure 3 shows HIM analysis of connections between programming languages revealing a new perspective on their historical development (each labelled node on the perimeter of the map denotes a programming language).

4 Mapping

Ludeme classes will be tagged with keywords indicating the underlying mathematical concepts that they embody, and game descriptions in the game database will be tagged with details regarding when and where they were played (among other historical/cultural details). Each game will therefore have a *mathematical profile* based upon its component ludemes and a *historical profile*. The game database will be data-mined for common ludemeplexes that represent important game mechanisms. The associated metadata will be cross-referenced to create *knowledge graphs* that give probabilistic models [24] of the relationships between their geographical, historical and mathematical dimensions.

The cultural location of games will be achieved using a geo-location service such as GeaCron.³ GeaCron maintains a database of geo-political world maps for every year from 3000BC to the present day, which can be queried to specify which empire, nation, civilisation or culture correlates with any given geographical location in recorded history. GeaCron also provides details of known trade routes, expeditions, and other key historical events. This provides a mechanism for correlating the spread of games, ludemes and associated mathematical ideas with the spread of human civilisation.

5 Digital Archæoludology

This project is pioneering a new field of study called *digital archæoludology* (DAL) which involves the analysis and reconstruction of traditional games from incomplete descriptions using modern computational techniques [25]. The aim is to provide tools and methods to help game historians and researchers better understand traditional games and their development.

Traditional game studies have tended to focus on the authenticity of reconstructions (as cultural artefacts) rather than their actual quality as games. DAL seeks to redress this imbalance by searching for plausible reconstructions that maximise both quality and historical authenticity, hopefully leading to better reconstructions and a better understanding of ancient and early games.

6 Conclusion

The Digital Ludeme Project is still in its early stages. Work is currently focussed on developing the LUDII game system, then will move on to populating the full game database and performing the phylogenetic and cultural mapping tasks over the next few years. Its aim is to use modern computational techniques to provide tools and techniques for helping to fill the gaps in our knowledge of traditional strategy games and their development.

³ <http://geacron.com>

Acknowledgements This project is funded by a €2m European Research Council (ERC) Consolidator Grant (#771292) conducted at Maastricht University over 2018–23.

References

1. J. Huizinga, *Homo ludens: Proeve eener bepaling van het spel-element der cultuur* [*Homo ludens: A study of the play-element in culture*]. Haarlem: Tjeenk Willink, 1938.
2. D. Parlett, *The Oxford history of board games*. Oxford: Oxford Univ. Press, 1999.
3. H. J. R. Murray, *A history of board-games other than Chess*. Oxford: Oxford Univ. Press, 1952.
4. U. Schädler, “Mancala in Roman Asia Minor?”, *Board Game Studies*, vol. 1, 1998, pp. 10–25.
5. U. Schädler, “Games, Greek and Roman”, R. S. Bagnall, K. Brodersen, C. B. Champion, A. Erskine and S. R. Huebner (eds.), *The Encyclopedia of Ancient History*. London: Blackwell, 2013, pp. 2841–2844.
6. D. Parlett, “What’s a ludeme?”, *Game & Puzzle Design*, vol. 2, no. 2, 2016, pp. 83–86.
7. C. Browne, *Automatic generation and evaluation of recombination games*. PhD thesis, Faculty of Inform. Tech., Queensland Univ. Tech. (QUT), Brisbane, 2009.
8. C. Browne, “A class grammar for general games”, *Proc. 9th Internat. Conf. on Computers and Games (CG’2016)*, Leiden, Springer, LNCS 10068, 2016, pp. 169–184.
9. C. Browne, *et al.*, “A survey of Monte Carlo tree search methods”, *IEEE Trans. Comput. Intell. and AI in Games*, vol. 4, no. 1, 2012, pp. 1–43.
10. D. Silver, *et al.*, “Mastering the game of Go with deep neural networks and tree search”, *Nature*, vol. 529, no. 7587, 2016, pp. 484–489.
11. T. Raiko and J. Peltonen, “Application of UCT search to the connection games of Hex, Y, *Star, and Renkula”, *Proc. Finn. Artif. Intell. Conf.*, Espoo, Finland, 2008, pp. 89–93.
12. F. Lantz, A. Isaksen, A. Jaffe, A. Nealen and J. Togelius, “Depth in strategic games”, *Proc. 31st AAAI Conf. Artif. Intell. (AAAI’17)*, workshop on What’s Next for AI in Games?, San Francisco, AAAI Press, 2017, pp. 1–8.
13. A. de Voogt, “Distribution of Mancala board games: A methodological inquiry”, *Board Game Studies*, vol. 2, 1999, pp. 104–114.
14. S. Greenhill, “Evolution and language: Phylogenetic analyses”, *International Encyclopedia of the Social & Behavioral Science*, 2nd edition, vol. 8, 2015, pp. 370–377.
15. V. A. Eagle, “On a phylogenetic classification of Mancala games, with some newly recorded games from the ‘Southern Silk Road’, Yunnan Province, China”, *Board Games Studies*, vol. 1, 1999, pp. 51–68.
16. A. R. Kraaijeveld, “Origin of Chess – A phylogenetic perspective”, *Board Games Studies*, vol. 3, 2001, pp. 39–50.
17. D. A. Morrison, “False analogies between anthropology and biology”, *The Genealogical World of Phylogenetic Networks*, 2013, online.
18. J.-M. List, S. J. Pathmanathan, P. Lopez and E. Baptiste, “Unity and disunity in evolutionary sciences”, *Biology Direct*, vol. 11, no. 39, 2016, pp. 1–17.
19. C. A. F. Anselmo and A. Pinheiro, “Phylogenetic trees via Hamming distance decomposition tests”, *Journal of Statist. Comput. and Simul.*, vol. 82, no. 9, 2012, pp. 1287–1297.
20. I. Tëmkin and N. Eldredge, “Phylogenetics and material cultural evolution”, *Current Anthropology*, vol. 48, no. 1 2007, pp. 146–154.
21. D. A. Morrison, “Are phylogenetic patterns the same in anthropology and biology?”, [bioRxiv:10.1101/006486](https://arxiv.org/abs/10.1101/006486), 2014.
22. D. Parlett, “Back to square one: Questioning the origin of games”, *The Incomplete Gamester*, 2011, online.
23. S. Valverde, “Visualising the evolution of programming languages”, *Leonardo*, Special Section: Arts, Humanities and Complex Networks 2015, 27 April 2016.
24. X. Dong and V. A. Eagle, “Knowledge vault: A web-scale approach to probabilistic knowledge fusion”, *Proc. 20th Internat. Conf. on Knowl. Disc. and Data Mining*, New York, ACM Press, 2014, pp. 601–610.
25. C. Browne, D. J. N. J. Soemers, E. Piette, M. Stephenson, M. Conrad, W. Crist, T. Depaulis, E. Duggan, F. Horn, S. Kelk, S. M. Lucas, J. P. Neto, D. Parlett, A. Saffidine, U. Schädler, J. N. Silva, A. de Voogt, M. H. M. Winands, *Foundations of Digital Archaeology*, <https://arxiv.org/abs/1905.13516>, 2019.