

Network constraints on the mixing patterns of binary node metadata

Citation for published version (APA):

Cinelli, M., Peel, L., Iovanela, A., & Delvenne, J.-C. (2020). Network constraints on the mixing patterns of binary node metadata. *Physical Review E*, 102(6), Article 062310. <https://doi.org/10.1103/PhysRevE.102.062310>

Document status and date:

Published: 23/12/2020

DOI:

[10.1103/PhysRevE.102.062310](https://doi.org/10.1103/PhysRevE.102.062310)

Document Version:

Publisher's PDF, also known as Version of record

Document license:

Taverne

Please check the document version of this publication:

- A submitted manuscript is the version of the article upon submission and before peer-review. There can be important differences between the submitted version and the official published version of record. People interested in the research are advised to contact the author for the final version of the publication, or visit the DOI to the publisher's website.
- The final author version and the galley proof are versions of the publication after peer review.
- The final published version features the final layout of the paper including the volume, issue and page numbers.

[Link to publication](#)

General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal.

If the publication is distributed under the terms of Article 25fa of the Dutch Copyright Act, indicated by the "Taverne" license above, please follow below link for the End User Agreement:

www.umlib.nl/taverne-license

Take down policy

If you believe that this document breaches copyright please contact us at:

repository@maastrichtuniversity.nl

providing details and we will investigate your claim.

Network constraints on the mixing patterns of binary node metadata

Matteo Cinelli ^{1,2} Leto Peel ^{3,4} Antonio Iovanella ⁵ and Jean-Charles Delvenne^{6,7}

¹*Ca' Foscari University of Venice, Department of Environmental Sciences, Informatics and Statistics, 30172 Mestre (VE), Italy*

²*Applico Lab, CNR-ISC, 00185 Rome, Italy*

³*Institute of Data Science, Faculty of Science and Engineering, Maastricht University, Maastricht, The Netherlands*

⁴*Department of Data Analytics and Digitalisation, School of Business and Economics, Maastricht University, Maastricht, The Netherlands*

⁵*University of Rome "Tor Vergata", Via del Politecnico 1, Rome, Italy*

⁶*ICTEAM, Université catholique de Louvain, Louvain-la-Neuve, Belgium*

⁷*CORE, Université catholique de Louvain, Louvain-la-Neuve, Belgium*



(Received 22 April 2020; accepted 7 December 2020; published 23 December 2020)

We consider the network constraints on the bounds of the assortativity coefficient, which aims to quantify the tendency of nodes with the same attribute values to be connected. The assortativity coefficient can be considered as the Pearson's correlation coefficient of node metadata values across network edges and lies in the interval $[-1, 1]$. However, properties of the network, such as degree distribution and the distribution of node metadata values, place constraints upon the attainable values of the assortativity coefficient. This is important as a particular value of assortativity may say as much about the network topology as about how the metadata are distributed over the network—a fact often overlooked in literature where the interpretation tends to focus simply on the propensity of similar nodes to link to each other, without any regard on the constraints posed by the topology. In this paper we quantify the effect that the topology has on the assortativity coefficient in the case of binary node metadata. Specifically, we look at the effect that the degree distribution, or the full topology, and the proportion of each metadata value has on the extremal values of the assortativity coefficient. We provide the means for obtaining bounds on the extremal values of assortativity for different settings and demonstrate that under certain conditions the maximum and minimum values of assortativity are severely limited, which may present issues in interpretation when these bounds are not considered.

DOI: [10.1103/PhysRevE.102.062310](https://doi.org/10.1103/PhysRevE.102.062310)

I. INTRODUCTION

Assortative mixing is the tendency of nodes with similar attribute values (also referred to as *node metadata*) to be connected to each other in a network. For example, in a human social network, where nodes are people and edges are interactions between them, node metadata might include the ages or genders of those people. Newman's assortativity coefficient r [1] was proposed as a means to quantify the level of assortative mixing in a network with respect to a particular piece of node metadata. This assortativity coefficient can be considered as the Pearson's correlation coefficient of node metadata values across edges. Just as correlation plays an important role in identifying relationships between pairs of variables, assortativity plays a fundamental role in understanding how a network is organized with respect to a given attribute of the nodes. However, there are issues that may arise when interpreting assortativity values as simply a measure of propensity of adjacent nodes to have similar metadata values. Here we consider one of these issues, specifically that the properties of the network (irrespective of how the metadata values are assigned to nodes) and the properties of the node metadata (irrespective of how the nodes are connected) can each influence the range of attainable assortativity values. A trivial illustrative example is the following: suppose we know that an undirected network is connected and the node metadata

take value 1 for some nodes and 0 for the others. Then we know that assortativity $r = +1$ is unattainable because there will be at least one edge with metadata values (0,1). If the graph is not bipartite, we know that assortativity $r = -1$ is unattainable because there will be at least one edge with metadata values (0,0) or (1,1). As a consequence, the assortativity coefficient conflates information of the network topology with how the metadata values are distributed over the network.

Pearson's correlation coefficient is used to measure the association between two variables \mathbf{x} and \mathbf{y} (which do not typically come from a network). Each pair (x_t, y_t) is assumed to be sampled from the same joint probability distribution, independent of any other pair $(x_{t'}, y_{t'})$, where $t' \neq t$. We apply Pearson's correlation coefficient to calculate assortativity by treating the metadata $(c_i = x_i, c_j = y_i)$ of two nodes, i and j , connected by an edge $t = (i, j)$ as a sample (x_t, y_t) . Since assortativity is an application of Pearson's correlation coefficient it inherits the same potential issue of a reduced interval. Even when \mathbf{x} and \mathbf{y} are identically distributed, the underlying network structure can also limit the attainable values of assortativity, in that it limits the way pairs (x_t, y_t) can be formed.

Each sample pair (x_t, y_t) is assumed to be sampled from the same joint probability distribution, independent of any other pair $(x_{t'}, y_{t'})$, where $t' \neq t$. We apply Pearson's correlation coefficient to calculate assortativity by treating the metadata $c_i = x_i, c_j = y_i$ of two nodes, i and j , connected by an edge




FIG. 1. Assortativity as correlation in a network. (a) For the correlation of two binary variables, x and y , we assume each row corresponds to a draw from a simple joint distribution $P(x, y)$. For example, each row is a person, x indicates gender {male, female} and y indicates if they wear glasses {yes, no}. (b) For assortativity we just have one binary variable c (e.g., gender) and pairs of variables connected by an edge in the network, which for illustrative purposes we can consider directed from left to right. (c) Now each node (and therefore its gender) will appear in as many rows as it has edges, so we should no longer consider these to be samples from the same bivariate distribution $P(x, y)$ because it does not account for the network structure, i.e., a node cannot be female in one interaction and male in another interaction. To account for network structure, we instead consider each pair as a sample from a distribution over node pairs in the adjacency matrix. Changing the model in this way does not change the value of the assortativity coefficient, but it does change range of attainable values due to the added constraints of the network structure.

$t = (i, j)$ as a sample (x_t, y_t) . A known, but often overlooked, issue is that the range of Pearson's correlation coefficient can be smaller than the usual reference interval $[-1, 1]$. This reduced interval occurs, for instance, when the marginal distributions of \mathbf{x} and \mathbf{y} are not equal (aside from differences in scale and location) [2,3].

Since assortativity is an application of Pearson's correlation coefficient it inherits the same potential issue of a reduced interval. Even when \mathbf{x} and \mathbf{y} are identically distributed, the underlying network structure can also limit the attainable values of assortativity, as the network structure limits the way pairs (x_t, y_t) can be formed. Figure 1 shows an example, illustrating that the presence of a (directed) network limits the possible metadata pairs we may observe. For instance, if node i is incident upon k_i edges, then node i 's metadata value c_i appears in all k_i pairs that represent its edges. This dependence on the degree sequence further limits the bounds of attainable assortativity, beyond simply considering the proportions of the metadata values.

Here we focus on calculating the bounds of assortativity in the special case in which the graph is undirected [i.e., edge (i, j) can equivalently be written as (j, i)] and unweighted, without any self-loops or multiedges, and the node metadata are restricted to binary values, e.g., gender of actors in social

networks. This setting is relevant, for example, when studying important phenomena such as gender homophily [4] and related perception biases in social networks [5,6]. We provide methods to calculate bounds on the attainable range of assortativity under the assumption that specific properties of the network are fixed. We focus on two types of properties: those relating to the network structure (specific degree sequence or specific graph topology) and those relating to the node metadata (proportion of nodes per category or specific assignment of nodes to categories). Considering all possible combinations of these network and metadata properties provides us with three different spaces of configurations (omitting the fourth combination as it corresponds to just the single network configuration that we observe):

(1) the *metadata-graph space* (mgs)—the ensemble of configurations with a given degree sequence and proportion of metadata values;

(2) the *graph space* (gs)—the ensemble of configurations with a given degree sequence and specific node metadata assignment;

(3) the *metadata space* (ms)—the ensemble of configurations with a specific topology and proportion of metadata values.

In the metadata-graph space the range of assortativity can be explored by computing the assortativity coefficient over the set of all possible graphs with the observed degree sequence (the graph space) combined with set of all possible permutations of the metadata vector (the metadata space), i.e., a vector \mathbf{c} in which each entry c_i represents the metadata value of node $i \in \{1, \dots, n\}$ in the network. For this space we present combinatorial bounds on the largest possible range of attainable assortativity values since it contains both the graph space and the metadata space. Thus, bounding assortativity in the metadata-graph space means bounding assortativity with respect to all the possible values it can assume within the other spaces. Similarly for the graph space [7] we present combinatorial bounds for the range of assortativity r for all possible configurations of the observed degree sequence, but this time with the metadata vector fixed. Finally, the range of assortativity in the metadata space is harder to bound analytically, being strictly dependent on the topology of the network. Instead we explore the range via a complete enumeration (when computationally feasible [8]) of all possible permutations of the metadata vector. For larger graphs we resort to heuristic methods.

Figure 2(a) illustrates qualitatively the relationship of the bounds in each of these spaces. Both the metadata space and the graph space are subsets of the metadata-graph space. In what follows, we will demonstrate that the relationship between the bounds on the metadata-graph space and the bounds on the graph space is relatively straightforward. However, the relationship between the graph space and the metadata space in terms of assortativity is somewhat more nuanced. Depending on the topology and the node metadata vector, the assortativity range in the graph space can be either narrower or wider than the metadata space.

Using both combinatorial and empirical methods, we demonstrate that these bounds can be substantially far from -1 and 1 in each of these three spaces. We reinforce these results by demonstrating that for some real-world networks




FIG. 2. (a) Graphical representation of the assortativity range in the metadata-graph space, graph space, and metadata space. The assortativity range in the graph space is represented differently as it may be either smaller or larger than the assortativity range in the metadata space. (b) Graphical representation of block diagrams related to two different types of partition. In the case of a bipartitelike configurations most of the links fall between different partitions (i.e., connect nodes with different metadata values) while in the case of a bisectedlike configurations most of the links fall within each of the partitions (i.e., connect nodes with the same metadata values).

the full reference range of assortativity is not attainable in any of these three spaces. Such evidence may provide some insights about the interpretation of common configurations as well as boundary ones that, without such knowledge, would be misinterpreted by being considered less significant than they are.

II. ASSORTATIVE MIXING OF BINARY METADATA

The formula for Newman’s assortativity r for binary node metadata is equivalent to Pearson’s correlation coefficient for binary variables, also known as the ϕ coefficient [9]. Pearson’s correlation coefficient is a fundamental statistic used to identify linear relationships between variables. However, despite the widespread use of Pearson’s correlation coefficient, it is not without its limitations, e.g., the ambiguity of interpreting specific coefficient values [10]. Given the relationship between Newman’s assortativity and Pearson’s correlation coefficient it is unsurprising that the assortativity coefficient also suffers from similar issues of interpretability [11]. Here we consider a further issue that affects the interpretation of assortativity—the extremal values $r \in \{-1, 1\}$ are often

unattainable. This particular issue is one that is inherited, in part, from the ϕ coefficient [12]. However, in the case of network metadata, the effect is exacerbated by the dependency on the network structure.

A. The ϕ coefficient

We begin by clarifying the relationship between the ϕ coefficient and Newman’s assortativity r . Since ϕ is a correlation coefficient, we can write the ϕ coefficient of binary variables x and y as

$$\phi = \frac{\mathbb{E}[x, y] - \mathbb{E}[x]\mathbb{E}[y]}{\sigma_x \sigma_y}, \tag{1}$$

where σ_x is the standard deviation of x . For binary variables, the sample ϕ coefficient is based on the 2×2 contingency table:

$$P(x, y) = \begin{array}{c|cc|c} & y = 0 & y = 1 & \\ \hline x = 0 & e_{00} & e_{01} & a_0 \\ x = 1 & e_{10} & e_{11} & a_1 \\ \hline & b_0 & b_1 & \end{array} \quad \text{where} \tag{2}$$

$$a_i = \sum_j e_{ij}, \quad b_j = \sum_i e_{ij}, \tag{2}$$

and e_{ij} is the proportion of pairs for which $x = i$ and $y = j$, and $\sum_{ij} e_{ij} = 1$. The ϕ coefficient [9] is stated as

$$\phi = \frac{e_{11} - a_1 b_1}{\sqrt{a_1 a_0 b_1 b_0}}. \tag{3}$$

Treating e_{ij} as the joint probability distribution $P(x, y)$, the ϕ coefficient tells us the correlation of the variables x and y sampled from this distribution. In this setting the range of ϕ is bounded by the marginals [13] (see Appendix A 1),

$$\phi_{\min} = -\sqrt{\frac{a_0 b_0}{a_1 b_1}}, \quad \phi_{\max} = \sqrt{\frac{a_0 b_1}{a_1 b_0}}. \tag{4}$$

B. Assortativity for binary node metadata

Newman’s assortativity for binary node metadata is calculated according to the same formula as Eq. (3). However, since we are considering the correlation of node metadata across network edges we no longer have two variables x and y , we have a single binary variable c representing the node metadata. In undirected networks, $e_{ij} = e_{ji}$ and represents half the proportion of edges in the network that connect nodes with type i to nodes with type j (or the proportion of edges if $i = j$) and $a_i = b_i$, i.e.,

$$P(c_i, c_j) = \begin{array}{c|cc|c} & c_i = 0 & c_j = 1 & \\ \hline c_i = 0 & e_{00} & e_{01} & a_0 \\ c_j = 1 & e_{01} & e_{11} & a_1 \\ \hline & a_0 & a_1 & \end{array} \quad \text{where} \tag{5}$$

$$a_i = \sum_j e_{ij} = \sum_i e_{ij}, \tag{5}$$

To make the connection between ϕ and Newman’s assortativity explicit, first note that the numerator of Eq. (3) can also be written as $e_{00} - a_0^2$ since $e_{11} - a_1^2 = e_{00} - a_0^2$. Now we can

simplify the denominator of Eq. (3),

$$\sqrt{a_1 a_0 b_1 b_0} = a_1 a_0 = a_1(1 - a_1) = a_1 - a_1^2.$$

Then by making these substitutions and summing over categories (since we do not assume that $a_0 = a_1$) we recover Newman's assortativity [1]:

$$r = \frac{\sum_i e_{ii} - a_i^2}{1 - \sum_i a_i^2}. \quad (6)$$

The fact that the minimum value of assortativity r_{\min} may be greater than -1 was previously indicated in [1] where a relatively conservative bound was derived by inspecting Eq. (6) and considering that the minimum occurs when all edges connect nodes with different metadata values, such that $\sum_i e_{ii} = 0$. In this case we see that the minimum assortativity is

$$r_{\min} = \frac{-\sum_i a_i^2}{1 - \sum_i a_i^2}. \quad (7)$$

However, this bound is not particularly informative in the case of binary metadata since it will always yield a value ≤ -1 . The reason is because it necessitates that a configuration where $\sum_i e_{ii} = 0$ is possible. When the marginals of the metadata values are imbalanced, such that $a_0 \neq a_1$, then it is not possible for both $e_{00} = e_{11} = 0$ to equal zero, since $e_{00} - a_0^2 = e_{11} - a_1^2$. A more informative bound is that of the ϕ coefficient [13],

$$\phi_{\min} = -\frac{a_0}{a_1} \geq -1, \quad (8)$$

which we obtain from Eq. (4) when $a_i = b_i$ and assuming that $a_0 \leq a_1$. When the marginals of the metadata values are balanced $a_0 = a_1$ the metadata can potentially form a bipartite partition of the network such that the bound given in Eq. (8) is saturated. However, we will show that, depending on the space of configurations considered, it is not always possible to arrange the metadata to form a bipartite split. In these cases $r = -1$ will be unattainable. Regarding the maximum assortativity, we see in Eq. (4) that $r_{\max} = \phi_{\max} = 1$ for an undirected network.

These bounds, however, only take into account the marginals a_0 and a_1 , but as we see in Fig. 1 the underlying network presents extra constraints, e.g., we might know that the network has a specific degree sequence. The model for correlation, in which we sample pairs from the joint distribution $P(x, y)$ of Eq. (2), does not allow us to incorporate information about the network structure. This discrepancy suggests that this simple model is unsuitable and that modeling assortativity is a little more nuanced.

In order to include this information, we consider the model of assortativity originally proposed by Newman [1], in which we sample from a joint distribution over node pairs (i, j) in the adjacency matrix (such that existing edges are sampled uniformly at random) and look at the metadata values of the nodes linked by the edge. The probability of observing pairs of metadata values in this way is our joint distribution $P(c_i, c_j)$. This model of assortativity naturally incorporates network properties such as the degree distribution. Ensuring a specific degree sequence (in expectation) amounts to fixing the row

and column sums of the distribution over the adjacency matrix. Note that assuming this model of assortativity does not change how we calculate the assortativity coefficient since we aggregate counts by node metadata values to produce a contingency table [Eq. (2)] just as we would when calculating the ϕ coefficient. However, the additional structure that this model of assortativity affords limits the possible joint distributions $P(c_i, c_j)$ that we may consider and in turn further limits the attainable values of assortativity.

In what follows, it will become clearer to describe assortativity in terms of edge counts, rather than proportion of edges. To do so we consider that the m edges are divided into three subsets such that $m = m_{11} + m_{10} + m_{00}$. Then we make the simple substitution $m_{ij} = (2 - \delta_{ij})e_{ij}m$, where δ is the Kronecker delta. Consequently the assortativity of binary node metadata can be written as

$$r = \frac{(m_{00} + m_{11})m - (m_{00} + \frac{m_{10}}{2})^2 - (m_{11} + \frac{m_{10}}{2})^2}{m^2 - (m_{00} + \frac{m_{10}}{2})^2 - (m_{11} + \frac{m_{10}}{2})^2}, \quad (9)$$

which can be simplified by first eliminating m_{10} through the substitution $m_{10} = m - m_{00} - m_{11}$,

$$r = \frac{2(m_{00} + m_{11})m - m^2 - (m_{00} - m_{11})^2}{m^2 - (m_{00} - m_{11})^2}, \quad (10)$$

and rearranging as

$$r = 1 - \frac{2m_{10}m}{m^2 - (m_{00} - m_{11})^2}. \quad (11)$$

The bounds on assortativity are directly related to the bounds on the edge counts. Specifically, we can consider two types of bipartition depending whether we wish to minimize or maximize the assortativity. Figure 2(b) illustrates this relationship. Maximizing the assortativity corresponds to forming a minimum cut bisection of the network such that the majority of the edges connect nodes of the same type [Fig. 2(b) (left)]. The maximum value $r = 1$ occurs when edges only occur between nodes with the same metadata values, i.e., $m_{00} + m_{11} = m$, and implies that the network is made up of multiple connected components, each containing only nodes with the same metadata value. Minimizing the assortativity corresponds to finding a bipartite (or near bipartite) partition such that all (or most) of the edges connect a node i that has metadata $c_i = 0$ to a node j that has metadata $c_j = 1$ [Fig. 2(b) (right)]. The minimum of $r = -1$ occurs if and only if $m_{00} + m_{11} = 0$.

III. BOUNDS ON THE EDGE COUNTS USING THE DEGREE SEQUENCE

There are instances in which the bounds for assortativity, $-1 \leq r \leq 1$, can be attained. However, this is often not the case when certain properties of the network are fixed. In particular, the degree sequence, a specific set of edges and the way that node metadata values are assigned to specific nodes, all play a role in limiting the range of attainable values of assortativity.

Instrumental to exploring the effect of structural properties on the bounds of assortativity is the dependence of assortativity on the edge counts m_{11} , m_{10} , and m_{00} , as shown in




FIG. 3. Two different networks with the same degree sequence D_G , one with balanced proportions of metadata values, as displayed in (a), and the other with imbalanced proportions, as displayed in (c). The m_{11} links between pairs of nodes with metadata $c_i = 1$ (in black) are represented by solid lines, the m_{00} links between pairs of nodes with metadata $c_i = 0$ (in white) are represented by dashed lines, and the remaining m_{10} links are represented by dotted lines. In each case we partition the degree sequence D_G into a head D_G^H , containing the highest degrees, and a tail D_G^T , containing the lowest degrees, i.e., $D_G = D_G^H(n_1) \cup D_G^T(n_0)$, as shown in (b) [or $D_G = D_G^H(n_0) \cup D_G^T(n_1)$, as shown in (d)]. Once we fix the degree sequence D_G , the bounds depend only on the proportion of featured nodes n_1 and n_0 . Consequently, when $n_1 = 5$ [network in (a)] the bounds are $m_{11}^u = 10$, $m_{10}^u = 20$, $m_{00}^u = 10$, $m_{11}^l = 0$, $m_{10}^l = 4$, and $m_{00}^l = 0$. When $n_1 = 3$ [network in (c)] the bounds are $m_{11}^u = 3$, $m_{10}^u = 18$, $m_{00}^u = 17$, $m_{11}^l = 0$, $m_{10}^l = 1$, and $m_{00}^l = 1$.

Eq. (11). To demonstrate, we consider the largest of the aforementioned ensembles of graphs, the metadata-graph space (mgs), in which we preserve only the degree sequence of the observed graph and the relative proportions of observed metadata values. Within this space we can state bounds on the possible edge counts m_{11} , m_{10} , and m_{00} [14,15]. We denote the upper bounds with a superscript u (e.g., m_{11}^u) and the lower bounds with a superscript l (e.g., m_{11}^l).

In a graph with n nodes that have a binary metadata assignment, we have n_0 nodes with metadata value $c_i = 0$ and n_1 nodes with metadata value $c_i = 1$. We define bounds on the edge counts by partitioning the ordered degree sequence D_G and using this partition of the degree sequence to consider the maximum and minimum edge counts that it imposes. For example, to determine the upper bound of the number of edges m_{11}^u that connect pairs of nodes with metadata value 1 we should consider that the maximum value of m_{11} , given n_0 and n_1 , occurs when n_1 nodes are arranged into a complete subgraph. If D_G does not allow such a configuration, then the maximum value of m_{11} occurs when n_1 nodes with the highest degree only connect to each other and not to any nodes with metadata $c_i = 0$. Therefore we partition the degree sequence into a head $D_G^H(n_1)$, comprised of the n_1 highest degrees, and a tail $D_G^T(n_0)$, containing the n_0 lowest degrees, such that $D_G = D_G^H(n_1) \cup D_G^T(n_0)$.

Figure 3 shows a simple example of such a partition of the degree sequence with two different values of n_1 . The maximum possible m_{11} in any network that has degree sequence D_G and n_1 has to be necessarily less than or equal to the number of links contained in the subgraph with degree sequence $D_G^H(n_1)$ [when we consider $D_G^H(n_1)$ the degree sum of the n_1 elements of the network is maximized] or to the

number of links contained in a clique of size n_1 . The same reasoning is applicable when we consider m_{00} , whose upper bound can be computed by partitioning D_G in a way such that $D_G = D_G^H(n_0) \cup D_G^T(n_1)$, as shown in Fig. 3(d). Following a similar rationale of partitioning the ordered degree sequence, it is possible to either maximize or minimize the degree sum of the two groups thus obtaining specific upper and lower bounds to the edge counts. Full details on the derivation of the upper and lower bounds (m_{11}^u , m_{10}^u , m_{00}^u) and (m_{11}^l , m_{10}^l and m_{00}^l) are given in Appendix A 2.

The obtained bounds require only the degree sequence and the proportion of metadata to be set and so are suitable for the metadata-graph space. However, they can be trivially extended to the graph space by considering the case of a fixed partition of the degree sequence as explained in Appendix A 3.

IV. BOUNDS ON BINARY ASSORTATIVITY

We now discuss bounds on assortativity relative to the limits imposed by the three spaces: the metadata-graph space (mgs), the graph space (gs), and the metadata space (ms). Throughout we will assume that $0 < n_1 < n$ to ensure that neither of the groups in the partition are empty.

A. Bounds for the metadata-graph space

The metadata-graph space contains all configurations of graph structures and node metadata assignments that have a specified degree sequence D_G and given number of nodes of each type $\{n_0, n_1\}$. The bounds on the edge counts described in Sec. II depend only upon the specific degree sequence and the number of nodes of each type. We can therefore use these directly to define the bounds upon the metadata-graph space.




FIG. 4. Assortativity as a function of the difference in edge counts $m_{11} - m_{00}$, as computed from Eq. (11). (a) The assortativity function r for different values of m_{10} as a proportion of m while the difference between m_{11} and m_{00} , represented by $\Delta = m_{11} - m_{00}$, varies. We notice that assortativity is maximized whenever $m_{11} = m_{00}$. (b) The degree sequence displayed in Fig. 3 when $n_1 = 5$. In this case we set $m_{10} = m'_{10} = 4$, which implies $m - m_{10} = m_{11} + m_{00} = 16$. Thus, we obtain the maximum value of assortativity when $m_{11} = m_{00} = (m - m'_{10})/2$, i.e., when $(m - m'_{10})/2 = 8$.

1. Upper bound

The maximum value of r_{mgs} , for connected networks, occurs when as few edges as possible link nodes of different types. Therefore we define our upper bound r_{mgs}^u by setting $m_{10} = m'_{10}$. The maximum value of assortativity $r = 1$ can only be attained if the graph can be partitioned into disconnected components that contain only a single type of node. This constraint implies that when the lower bound m'_{10} is greater than zero, then the maximum possible value of assortativity is less than 1. Setting $m_{10} = m'_{10}$ implies that $m_{11} + m_{00} = m - m'_{10}$ and we can write r as

$$r = 1 - \frac{2m'_{10}m}{m^2 - (m_{00} - m_{11})^2}. \quad (12)$$

We can substitute $m_{00} = m - m'_{10} - m_{11}$ into Eq. (12) and write r as a function of m_{11} ,

$$r = 1 - \frac{2m'_{10}m}{m^2 - (m - m'_{10} - 2m_{11})^2}. \quad (13)$$

In order to obtain the value of m_{11} that maximizes r we can solve the following equation:

$$\frac{\partial r}{\partial m_{11}} = 0, \quad (14)$$

which gives us $m_{11} = (m - m'_{10})/2$ and implies that $m_{00} = (m - m'_{10})/2 = m_{11}$ and therefore

$$r_{\text{mgs}}^u = 1 - \frac{2m'_{10}}{m}. \quad (15)$$

Figure 4 graphically confirms that r is maximized when $m_{00} = m_{11}$ because assortativity, with fixed m_{10} , is a concave function of m_{11} .

2. Lower bound

The minimum value of r_{mgs} , for connected networks, occurs when the partition of the node metadata forms a bipartite

split of the graph. When $m'_{11} + m'_{00} > 0$ for a given degree sequence D_G and group sizes n_0 and n_1 it means that a certain number of intragroup links exist and that it is not possible to form a bipartite partition G_{n_1, n_0} of the graph. As introduced in Sec. II, Newman provides the following lower bound to assortativity [1]:

$$r_{\text{min}} = -\frac{\sum_i a_i^2}{1 - \sum_i a_i^2}. \quad (16)$$

Such a lower bound assumes the existence of a bipartite split of the nodes and that the sum of the proportion of intrapartition links is zero, i.e., $\sum_i e_{ii} = 0$. Written in terms of edge counts for binary metadata we have $m_{11} + m_{00} = 0$, where $m_{10} = m$ (since $m_{11} + m_{00} + m_{10} = m$). By substituting these quantities into Eq. (16) we obtain

$$r_{\text{min}} = -\frac{2\left(\frac{m_{10}}{2m}\right)^2}{1 - 2\left(\frac{m_{10}}{2m}\right)^2} = -1. \quad (17)$$

Following Newman's reasoning but this time accounting for the bounds on the edge counts: $m_{11} \geq m'_{11} \geq 0$, $m_{00} \geq m'_{00} \geq 0$, and $m_{10} \leq m'_{10} \leq m$, we obtain the lower bound r_{mgs}^l by considering a realization as close to a bipartite split of the graph (i.e., that with the highest m_{10}) as possible, which presents us with two options. The first option consists of setting $m_{11} = m'_{11}$ and $m_{00} = m'_{00}$, which implies $m - m'_{11} - m'_{00} = m_{10}$. Through a simple substitution of such quantities we obtain

$$m'_{ii} \text{ case: } r_{\text{mgs}}^l = 1 - \frac{2m(m - m'_{00} - m'_{11})}{m^2 - (m'_{00} - m'_{11})^2}. \quad (18)$$

The second option is to use the upper bound of the edge count m_{10} by setting $m_{10} = m'_{10}$. When $m_{10} = m'_{10}$, then $m_{11} + m_{00} = m - m'_{10}$. For a fixed value of m_{10} , binary assortativity is a concave function and m'_{00} can be different from m'_{11} . When $m_{11} + m_{00} > 0$, the minimum assortativity can be obtained when the absolute difference $|\Delta| = |m_{11} - m_{00}|$ is maximized

(as shown in Fig. 4). We then have two further options to determine the lower bound. In the first case we set $m_{10} = m_{10}^u$, $m_{11} = m_{11}^l$ and if $m_{10}^u + m_{11}^l \leq m$, then $m_{00} = m - m_{10}^u - m_{11}^l$ which we refer to as the Δ_{\min} case. Thus

$$\Delta_{\min} \text{ case : } r_{\text{mgs}}^l = 1 - \frac{2m_{10}^u m_{11}^l}{m^2 - (m - m_{10}^u - 2m_{11}^l)^2}. \quad (19)$$

In the second case we set $m_{10} = m_{10}^u$, $m_{00} = m_{00}^l$ and if $m_{10}^u + m_{00}^l \leq m$, then $m_{11} = m - m_{10}^u - m_{00}^l$ which we refer to as the Δ_{\max} case. Thus

$$\Delta_{\max} \text{ case : } r_{\text{mgs}}^l = 1 - \frac{2m_{10}^u m_{00}^l}{m^2 - (m_{10}^u + 2m_{00}^l - m)^2}. \quad (20)$$

In summary, we have three possible cases for determining the lower bound:

$$\{m_{00}, m_{11}, m_{10}\} = \begin{cases} m_{ii}^l & : \{m_{00}^l, m_{11}^l, m - m_{11}^l - m_{00}^l\}, \\ \Delta_{\max} & : \{m - m_{10}^u - m_{11}^l, m_{11}^l, m_{10}^u\}, \\ \Delta_{\max} & : \{m_{00}^l, m - m_{10}^u - m_{00}^l, m_{10}^u\}, \end{cases} \quad (21)$$

which we can substitute into Eq. (9) to obtain a lower bound r_{mgs}^l on the minimum value of r .

B. Bounds for the graph space

Similar to the metadata-graph space, the graph space considers all configurations of graph structures that have a specified degree sequence. The difference is that in the graph space the assignment of metadata values to nodes is fixed and so the degree-metadata correlation is also fixed. We can bound the assortativity of the graph space using the same rationale as the metadata-graph space. In fact, we can use the same equations given in the previous subsection by replacing the bounds on the edge counts for the metadata-graph space with those of the graph space, which are given in Appendix A 3.

The range of assortativity in the metadata-graph space is at least as large as the range in the graph space since the former has an extra degree of freedom by allowing all the possible arrangements of the metadata over the network nodes. As such, the following relations hold:

$$r_{\text{gs}}^u \leq r_{\text{mgs}}^u \leq r_{\text{max}}, \quad (22)$$

$$r_{\text{min}} \geq r_{\text{mgs}}^l \geq r_{\text{gs}}^l. \quad (23)$$

The difference in the assortativity bounds for the metadata-graph space and the graph space vary according to n_1 . The number of nodes n_1 controls how many distinct metadata assignments there can be per graph configuration. The ranges are equal when $n_1 = \{0, n\}$, because there can be only a single metadata assignment for every graph configuration, and the difference in the ranges is maximized when $n_1 = n/2$.

C. Bounds for the metadata space

Unlike the metadata-graph space and the graph space, in the metadata space we cannot provide any tighter theoretical bound for assortativity using only the degree sequence. Indeed, in order to obtain a tight bound in the metadata space we may need to exploit higher order statistics, such as the

number of triangles or the diameter of the network. Therefore we must resort to a complete enumeration, when feasible, or to a heuristic algorithm, based on a Monte Carlo exploration of the metadata space (one such algorithm is described in Appendix A 4). As in the previous section, we can clearly determine that the range of assortativity in the metadata-graph space is at least as large as the metadata space, because for each unique assignment of metadata values to node degrees, the metadata-graph space contains all possible graph configurations with the given degree sequence. Therefore,

$$r_{\text{ms}}^{<\text{max}} \leq r_{\text{mgs}}^u \leq r_{\text{max}}, \quad (24)$$

$$r_{\text{min}} \geq r_{\text{mgs}}^l \geq r_{\text{ms}}^{>\text{min}}, \quad (25)$$

where $r_{\text{ms}}^{<\text{max}}$ and the $r_{\text{ms}}^{>\text{min}}$ are the upper bound and the lower bound to the metadata space computed algorithmically. We cannot guarantee, however, any relationship between the metadata space and the graph space since they are constrained by different elements. The former is constrained by the topology and by the proportion of metadata values while the latter by the degree sequence and by the assignment of metadata to specific nodes. Instead of a combinatorial bound in the metadata space, we demonstrate the bounds empirically on a synthetic network. Using the network in Fig. 3 (top left network), we look at all the possible permutations of the metadata in order to compute the distribution of assortativity values.

Figure 5 shows the distribution of assortativity values over a complete enumeration of metadata assignments for the network in Fig. 3 (top left). The histogram on the left shows the distribution for $n_1 = 5$, while the one of the right shows the distribution for $n_1 = 3$. Here we can clearly observe the minimum and maximum values of the assortativity coefficient attainable in the metadata space.

V. EXPERIMENTS ON REAL NETWORKS

In this section we investigate assortative mixing for binary metadata in real-world networks [16]. Examples of binary metadata of network nodes can be found in a wide array of contexts, including: the functional categories of proteins in protein-protein interaction networks [8], the hydrophobic and hydrophilic nature of proteins in protein contact networks [17], and the use of a specific service in telecommunication networks [8]. Here we will focus on another natural case study on binary node metadata, which is gender assortativity in social networks of animals [18] and humans [19]. The investigation of gender assortativity is interesting for a number of practical reasons related to human behavior and the adoption of specific habits [20–23]. Moreover, better understanding of the mixing patterns and preferences in social networks plays an important role in predicting missing metadata such as gender [24].

Here we investigate gender assortativity in two colleges, Smith and Wellesley, extracted from the Facebook 100 dataset [25] (see Appendix A 6 for dataset description) containing social network snapshots with a heavy-tailed distribution. Additional analytical results for scale-free networks are given in Appendix A 7. Smith displays a gender assortativity of $r = 0.02$ that is positive but close to 0 (i.e., close to a random




FIG. 5. Ranges of assortativity for the network shown in Fig. 3(a). The plot in (a) has $n_1 = 5$ and the one in (b) has $n_1 = 3$. The histograms show the distribution of assortativity values in the metadata space (complete enumeration of all permutations of metadata assignments). The dashed lines indicate the bounds r_{mgs}^l and r_{mgs}^u of the assortativity range in the metadata-graph space. The dotted lines indicate the bounds r_{gs}^l and r_{gs}^u in the graph space. When $n_1 = 5$ the values are $r_{\text{mgs}}^l = -1$, $r_{\text{gs}}^l = -0.905$, $r_{\text{ms}}^{>\min} = -0.6$, $r_{\text{ms}}^{<\max} = 0.2$, $r_{\text{gs}}^u = 0.5$, $r_{\text{mgs}}^u = 0.6$. When $n_1 = 3$ these values are $r_{\text{mgs}}^l = -0.905$, $r_{\text{gs}}^l = -0.8$, $r_{\text{ms}}^{>\min} = -0.704$, $r_{\text{ms}}^{<\max} = 0.2$, $r_{\text{gs}}^u = 0.9$.

distribution of links relative to the node metadata), while in Wellesley we see a value of $r = 0.24$ that should indicate a distinctive pattern of assortativity by gender.

Figure 6 displays the assortativity bounds for the metadata-graph and graph spaces for the Smith [Fig. 6(a)] and Wellesley [Fig. 6(b)] social networks. To evaluate the metadata space, Fig. 6 also shows histograms of assortativity values for 10^5 permutations of the binary metadata vector \mathbf{c} for each network and the extremal values obtained from minimizing and maximizing the assortativity using an optimization heuristic, described in Appendix A 4. We immediately observe that the disassortativity of both networks is bounded away from -1 , in all three spaces, such that the network cannot be very disassortative and that there are relatively few configurations of the network and metadata that allow disassortative mixing. This effect is partially due to the huge gender imbalance as both colleges are female only and so there are relatively few males (staff and graduate students) in the network.

Comparing the ranges of assortativity in the metadata space and graph space, we observe that $r_{\text{ms}}^{>\min} \leq r_{\text{gs}}^l$ and $r_{\text{ms}}^{<\max} \leq r_{\text{gs}}^u$ for both these networks. So the metadata space allows more disassortative mixing than the graph space does. However, we should consider the latter with caution since $r_{\text{ms}}^{<\max}$ is computed via a heuristic (thus it is a lower bound to the actual maximum) while r_{gs}^u is an upper bound. Therefore, given the fact that $r_{\text{ms}}^{<\max}$ and r_{gs}^u have very close values, it indicates a very high similarity in terms of upper bound of assortativity in graph and metadata spaces.

With regard to the metadata space, we see that for both networks the observed assortativity value is higher than the assortativity of random permutations. We can interpret such a result as a test of statistical significance [26]. So even though the assortativity is relatively low (particularly for the Smith network), we can still conclude that the assortativity is significantly higher than a random partition of the network ($p < 10^{-5}$).

In order to complement the previous analysis, we also consider a smaller but much denser network, the Wolf dominance network [27] (see Appendix A 6), over which we evaluate gender assortativity. In this smaller network it is possible to evaluate the metadata space via a complete enumeration of the possible metadata permutations and so we can compute the actual values of $r_{\text{ms}}^{>\min}$ and $r_{\text{ms}}^{<\max}$ to compare against the combinatorial bounds of the graph space and metadata-graph space.

Interestingly in this case, the upper bounds on assortativity in all three spaces are very close to zero and in the metadata space it is not possible to observe positive assortativity. Furthermore, the mean value of assortativity over the metadata space is not zero, as we can see from the histogram centered at -0.06 . This observation seems contrary to our expectation that assortativity of random partitions should be centered around zero. This result resembles that of Ref. [7] in which it was observed that under certain conditions the expected value of assortativity in the *graph space* is not equal to zero. Here we make a similar observation that the expected value of assortativity may be different from zero, in




FIG. 6. Assortativity bounds for the colleges Smith (a) and Wellesley (b) of the largest connected component after eliminating nodes with missing gender metadata. Smith college has $n = 2625$, $m = 77\,259$, $n_{\text{female}} = n_0 = 2596$, $n_{\text{male}} = n_1 = 29$. Smith has a gender assortativity value $r = 0.025$ (solid line) with $m_{11} = 25$ and $m_{10} = 1404$. The upper bounds to gs and mgs for Smith college are not reported in the panel and they are $r_{\text{gs}}^u = 0.976$ and $r_{\text{mgs}}^u = 1$. Wellesley college has $n = 2689$, $m = 78\,853$, $n_{\text{females}} = n_0 = 2653$, $n_{\text{males}} = n_1 = 36$. Wellesley has a gender assortativity value $r = 0.246$ (solid line) with $m_{11} = 122$ and $m_{10} = 729$. The upper bounds to gs and mgs for Wellesley college are not reported in the panel and they are $r_{\text{gs}}^u = 0.995$ and $r_{\text{mgs}}^u = 1$.

the metadata space. Therefore, following a similar argument, we may conclude that in cases such as these an adjustment to the expected value may be necessary.

VI. DISCUSSION

The assortativity coefficient r is generally assumed to range between -1 and 1 . In this paper we provide evidence that this widely used measure is often bounded within a much narrower range, given even partial knowledge of the metadata distribution or the network topology. It is important to be aware of these bounds when interpreting the values of assortativity. For instance, consider the example of the Wolf dominance network in Fig. 7. The observed value of assortativity is $r = -0.153$. If we compare this value to the full interval $[-1, 1]$, we might conclude that the network is mildly disassortative. However, we have established that all networks sharing the same degree sequence (i.e., in the same graph space) and the same proportion of male/female nodes as the original network will display assortativities bounded by the range -0.153 and 0.009 . In this light we must conclude that the observed metadata are remarkably disassortative, in fact as disassortative as can be, given these constraints. Our work can, in this way, be used as tool that allows us to explore the significance of assortativity in a given network.

These findings will have impact on how we interpret assortativity. For instance, in the study of the integration of minorities over time or across different networks. Taking into account the range of attainable values provides us with

a clearer view on mixing patterns between such groups. In summary, the range of values attainable by the assortativity coefficient can vary substantially depending on the constraints imposed by the network structure and the distribution of node metadata. Here we considered three particular settings:

(1) The *metadata-graph space*: the range of assortativity values over the ensemble of configurations with a given degree sequence D_G and number of nodes of each type n_0, n_1 . Here we provide a combinatorial lower bound r_{mgs}^l and a combinatorial upper bound r_{mgs}^u .

(2) The *graph space*: the range of assortativity values over the ensemble of configurations with a given degree sequence D_G and a specific assignment of metadata to nodes. Here we provide a combinatorial lower bound r_{gs}^l and a combinatorial upper bound r_{gs}^u .

(3) The *metadata space*: the range of assortativity values over the ensemble of permutations of the metadata values (preserving the counts n_0, n_1) on the specific topology of an observed graph. Here we propose the use of a heuristic to estimate the upper bound $r_{\text{ms}}^{<max}$ and lower bound $r_{\text{ms}}^{>min}$.

The choice of space should depend upon the specific problem at hand and relate to the specific assumptions we wish to make about the graph structure and metadata assignment. For instance, when investigating metadata such as gender in a social network we might consider the metadata and popularity of the nodes (i.e., their degrees) to be fixed and so the graph space might be most appropriate. Alternatively, in a road network in which the metadata indicates either the presence or absence of road signals, occurrences of traffic jams, or the




FIG. 7. Assortativity bounds for the Wolf dominance network ($n = 16$, $m = 111$, $n_{\text{female}} = n_0 = 7$, $n_{\text{male}} = n_1 = 9$). The network has a gender assortativity value $r = -0.153$ (solid line) that occurs in correspondence with $m_{11} = 31$ and $m_{10} = 63$. The dashed lines, obtained with the combinatorial bounds, occur in correspondence of $r_{\text{mgs}}^l = -0.263$ and $r_{\text{mgs}}^u = 0.099$. The dot-dashed lines occur in correspondence of the values $r_{\text{ms}}^{>\min} = -0.16$ and $r_{\text{ms}}^{<\max} = 0.009$ which are obtained via complete enumeration. The bounds to the graph space are represented by dotted lines at $r_{\text{gs}}^l = -0.153$ and $r_{\text{gs}}^u = 0.009$.

locations of accident hotspots, we might want to consider the metadata space as the structure of the graph is fixed.

Although we have focused on binary metadata, the issue of attaining the extremal values $\{-1, 1\}$ of assortativity is still present for any categorical-valued metadata [28]. Taken altogether we can conclude that these constraints present questions about the interpretability of network assortativity, especially when comparing across networks [4,25,29,30], as also noted in the case of degree assortativity [31]. As a potential solution we might consider normalizing assortativity according to the bounds of the space most relevant to our given problem. For instance, if we consider the degree and metadata value of a node to be fixed, then an appropriate normalization might be

$$r^{\text{gs}} = \begin{cases} \frac{r}{r_{\text{gs}}^u} & \text{if } r \text{ is positive,} \\ \frac{r}{r_{\text{gs}}^l} & \text{otherwise.} \end{cases} \quad (26)$$

Such a normalization has previously been suggested for related measures such as the ϕ coefficient and Cohen's κ [12,28]. It also follows the rationale that assortativity is a normalized version of modularity Q (i.e., $r = Q/Q_{\text{max}}$ [32] where $Q_{\text{max}} = 1 - \sum_i a_i^2$). Alternatively we may consider comparing the observed assortativity with the distribution of assortativity values in the relevant ensemble, e.g., using assortativity as a test statistic in a one-sided hypothesis test

to assess statistical significance [26,33]. Additional investigations could expand the research outlined in Appendix A 7 on the interplay between asymptotic properties of the degree distribution and the attainable range of assortativity in the case of categorical [14] and scalar [34] features. However, we leave the exploration of these ideas for future work.

Another avenue for future work would be to consider how a given ensemble constrains other network measures such as Freeman's segregation [35], which is limited by the edge count m_{10} (see note in Appendix A 5), and the clustering coefficient, which is closely related to assortativity of scalar features such as degree [36].

ACKNOWLEDGMENTS

The authors thank Samin Aref, Alexandre Bovet, Andrea Cristofaro, Ernesto Estrada, Fariba Karimi, Dan Larremore, Giacomo Livan, Tiago Peixoto, Leo Pen, Martin Rosvall, Michael Schaub, Sofia Teixeira, and Jean-Gabriel Young for helpful conversations. This work was supported in part by the F.R.S-FNRS Grant No. 1.B.336.18F (L.P.) and the Flagship European Research Area Network (FLAG-ERA) Joint Transnational Call "FuturICT 2.0" (J.C.D.).

APPENDIX: METHODS

1. Bounds for the ϕ coefficient

The bounds for the ϕ coefficient depend on the marginals a_0, a_1, b_0, b_1 of the contingency table in Eq. (2) [13]. We start by deriving an alternative expression for the numerator of the ϕ coefficient:

$$\begin{aligned} e_{11} - a_1 b_1 &= e_{11} - (e_{11} + e_{01})(e_{11} + e_{10}) \\ &= e_{11} - (e_{11}^2 + e_{11}e_{01} + e_{11}e_{10} + e_{01}e_{10}) \\ &= e_{11}(1 - e_{11} - e_{01} - e_{10}) - e_{01}e_{10} \\ &= e_{11}e_{00} - e_{01}e_{10}, \end{aligned}$$

which gives us the alternative form for ϕ ,

$$\phi = \frac{e_{11}e_{00} - e_{01}e_{10}}{\sqrt{a_1 a_0 b_1 a_0}}. \quad (\text{A1})$$

From Eq. (A1) we can easily see that the ϕ coefficient is at its minimum when either $e_{00} = 0$ and/or $e_{11} = 0$. Here we will assume that $e_{00} \leq e_{11}$, so setting $e_{00} = 0$ means that $e_{01} = a_0$ and $e_{10} = b_0$. Then

$$\phi_{\min} = -\frac{e_{01}e_{10}}{\sqrt{a_1 a_0 b_1 a_0}} = -\sqrt{\frac{a_0 b_0}{a_1 b_1}}. \quad (\text{A2})$$

Similarly for the maximum of ϕ , either $e_{01} = 0$ and/or $e_{10} = 0$. So, if $e_{01} = 0$, then

$$\phi_{\max} = \sqrt{\frac{a_0 b_1}{a_1 b_0}}. \quad (\text{A3})$$

2. Bounding the edge counts in the metadata-graph space

Here we summarize the bounds introduced in [14]. Given a degree sequence D_G , by using the quantities n_1 and n_0 which

identify the amount of nodes with features 1 and 0, respectively, it is possible to define its head $D_G^H(n_1)$ or $D_G^H(n_0)$ and its tail $D_G^T(n_1)$ or $D_G^T(n_0)$ such that $D_G = D_G^H(n_1) \cup D_G^T(n_0)$ or $D_G = D_G^H(n_0) \cup D_G^T(n_1)$.

Considering these partitions, the first upper bound m_{11}^u is based on the fact that, especially in sparse networks, large cliques may be rare substructures. Therefore, using D_G we check whether G can actually contain a complete subgraph of size n_1 [i.e., if $D_G^H(n_1)$ satisfies the necessary condition for the realization of a clique]. If not, we take into account the densest hypothetical substructure that could be realized using the degree sequence of G . In Eq. (A4) the first term is the number of links in the network, the second term is the number of links in a clique of size n_1 , while the third term is the number of links in the subgraph with n_1 nodes and maximum

degree sum [i.e., with degree sequence $D_G^H(n_1)$]:

$$m_{11}^u = \min \left(m, \binom{n_1}{2}, \left[\sum_{i \in D_G^H(n_1)} \frac{\min(d_i, n_1 - 1)}{2} \right] \right), \quad (\text{A4})$$

In the second upper bound m_{10}^u , we check if G can contain a complete bipartite subgraph with partitions size n_1 and n_0 . If not, we consider a set of stars made of the first n_1 elements of D_G if $n_1 < n_0$ or made of the first n_0 elements of D_G if $n_0 < n_1$. In Eq. (A5) the first term is the number of links in the network, the second term is the number of links in a bipartite graph with partitions of size n_1 and n_0 , while the third term is the minimum between the number of m_{10} deriving from the degree partition $D_G^H(n_1) \cup D_G^T(n_0)$ and the number of m_{10} deriving from the degree partition $D_G^H(n_0) \cup D_G^T(n_1)$:

$$m_{10}^u = \min \left[m, n_1 n_0, \min \left(\sum_{i \in D_G^H(n_1)} \min(d_i, n_0), \sum_{i \in D_G^H(n_0)} \min(d_i, n_1) \right) \right]. \quad (\text{A5})$$

The first lower bound m_{11}^l considers the partition $D_G^T(n_1)$ and the minimum residual degree of its elements (when > 0), which is exploited in order to realize the minimum m_{11} . Since most real networks are sparse, this bound is effective mainly in the case of unbalanced partitions and of dense networks. The second term of Eq. (A38) counts the minimum number of links among the n_1 nodes in the graph deriving from the partition $D_G^H(n_0) \cup D_G^T(n_1)$, i.e., the amount of m_{11} which is realizable from the residual degree of the partition $D_G^T(n_1)$:

$$m_{11}^l = \max \left(0, \left\lfloor \frac{\sum_{i \in D_G^T(n_1)} d_i - \sum_{i \in D_G^H(n_0)} d_i}{2} \right\rfloor \right). \quad (\text{A6})$$

The second lower bound m_{10}^l considers that the lower m_{10} occurs in the case of a bisected network (i.e., a network with two separated components). Thus, if the degree sum in $D_G^T(n_1)$ overcomes the degree sum in a clique of size n_1 , then we guarantee the presence of some m_{10} . Considering that any connected realization with $n_1 \neq \{0, n\}$ has at least one m_{10} , the second term of Eq. (A39) counts the minimum number of links between the n_1 and n_0 in the case the n_1 are arranged into a clique:

$$m_{10}^l = \begin{cases} 0, & \text{if } n_1 = 0, n, \\ \max(1; \sum_{i \in D_G^T(n_1)} d_i - n_1(n_1 - 1)), & \text{if } 0 < n_1 < n. \end{cases} \quad (\text{A7})$$

The bounds to m_{00} can be obtained using the same rationale as that of m_{11} .

a. Improvements to lower bounds in the metadata-graph space

The lower bound to the intrapartition links is m_{11}^l . It can be initially improved by correcting the term $\sum_{i \in D_G^H(n_0)} d_i$. This term keeps the bound low especially in the case of unbalanced partitions and in the case of heavy tailed and sparse networks [i.e., when the degree sum of $D_G^H(n_0)$ has a high value because of the presence of hubs]. Knowing the size of

the two partitions, the second term in m_{11}^l can be written as $\sum_{i \in D_G^H(n_0)} \min(d_i, n_1)$.

Indeed, any node in n_0 , despite its degree, can be connected at most to other n_1 nodes in a different partition. Consequently, the residual degree of the nodes in $D_G^T(n_1)$ can be exploited for the realization of m_{11} .

Therefore,

$$m_{11}^l = \max \left(0, \left\lfloor \frac{\sum_{i \in D_G^T(n_1)} d_i - \sum_{i \in D_G^H(n_0)} \min(d_i, n_1)}{2} \right\rfloor \right). \quad (\text{A8})$$

The bound to the interpartition links is m_{10}^l . The first extension consists of making the bound symmetrical by adding the term $\sum_{i \in D_G^T(n_0)} d_i - n_0(n_0 - 1)$ and in noticing that such a term can be written in a more efficient way as $\sum_{i \in D_G^T(n_0)} \max[0, d_i - (n_0 - 1)]$. As shown in [14], the current bound works better in the case of dense networks since, when n_1 becomes larger, the nodes in $D_G^T(n_1)$ may still have a residual degree which is higher than the degree of the nodes in a clique of size n_1 [i.e., certain elements in $D_G^T(n_1)$ have degree greater than $n_1 - 1$]. Conversely, if the considered network is relatively sparse, we may not be able to provide a lower bound to m_{10} which is greater than zero even for very low values of n_1 .

Therefore, given that $n_1 + n_0 = n$, when n_1 increases we should also try to bound m_{10} by supposing a realization in the tail of D_G that involves n_0 nodes. Thus, the symmetrical version of m_{10}^l comprises the term $\sum_{i \in D_G^T(n_0)} d_i - n_0(n_0 - 1)$.

An additional improvement, possibly more appropriate in the case of heavy tailed and sparse degree sequences, derives from the following consideration: called $D_G(n_1)$ and $D_G(n_0)$ two arbitrary partitions of D_G , any element in $D_G(n_1)$ [$D_G(n_0)$] can be connected at most to other $n_1 - 1$ ($n_0 - 1$) ones in the same partition. Thus, any element in $D_G(n_1)$ [$D_G(n_0)$] can be involved in at least $d_i - (n_1 - 1)$ [$d_i - (n_0 - 1)$] intrapartition links.

Given a certain arbitrary partition of $D_G = D_G(n_1) \cup D_G(n_0)$, the minimum amount of m_{10} that can be realized is $m_{10} = \frac{1}{2}(\sum_{i \in D_G(n_1)} d_i - (n_1 - 1) + \sum_{j \in D_G(n_0)} d_j - (n_0 - 1))$.

In the case $n_1 > n_0$, the following relation holds:

$$\frac{1}{2}(\sum_{i \in D_G(n_1)} d_i - (n_1 - 1) + \sum_{j \in D_G(n_0)} d_j - (n_0 - 1)) \geq \frac{1}{2}(\sum_{i \in D_G(n_1)} d_i - (n_1 - 1) + \sum_{j \in D_G(n_0)} d_j - (n_1 - 1)).$$

if $n_1 = 0, n$

$$m_{10}^l = 0, \quad (\text{A9})$$

if $n_1 > n_0$

$$m_{10}^l = \max \left(1; \sum_{i \in D_G^r(n_1)} \max[0, d_i - (n_1 - 1)]; \sum_{i \in D_G^r(n_0)} \max[0, d_i - (n_0 - 1)]; \left\lceil \frac{1}{2} \sum_{i=1}^n \max[0, d_i - (n_1 - 1)] \right\rceil \right), \quad (\text{A10})$$

if $n_1 \leq n_0$

$$m_{10}^l = \max \left(1; \sum_{i \in D_G^r(n_1)} \max[0, d_i - (n_1 - 1)]; \sum_{i \in D_G^r(n_0)} \max[0, d_i - (n_0 - 1)]; \left\lceil \frac{1}{2} \sum_{i=1}^n \max[0, d_i - (n_0 - 1)] \right\rceil \right). \quad (\text{A11})$$

Or in a more compact way when $n_1 \neq 0, n$:

$$m_{10}^l = \max \left(1; \sum_{i \in D_G^r(n_1)} \max[0, d_i - (n_1 - 1)]; \sum_{i \in D_G^r(n_0)} \max[0, d_i - (n_0 - 1)]; \left\lceil \frac{1}{2} \sum_{i=1}^n \max[0, d_i - [\max(n_1, n_0) - 1]] \right\rceil \right). \quad (\text{A12})$$

3. Bounding the edge counts in the graph space

We consider the graph space into which the degree sequence D_G and the vector of binary node metadata are both fixed. In such a case we say that $D_G = D_G(n_1) \cup D_G(n_0)$ which represents the current partition of the considered degree sequence, given the node metadata assignment. Therefore, we

can exploit the combinatorial bounds of the metadata-graph space in order to bound the different edge counts in the graph space. The rationale behind the bounds remain the same as well as the formulas (presented in Appendixes A 2 and A 2 a) which can be, however, contracted as we cannot leverage, within the graph space, the different ways of partitioning D_G . Therefore, the bounds in the graph space can be written as

$$m_{11}^u = \min \left(m, \binom{n_1}{2}, \left\lceil \sum_{i \in D_G(n_1)} \frac{\min(d_i, n_1 - 1)}{2} \right\rceil \right), \quad (\text{A13})$$

$$m_{10}^u = \min \left[m, n_1 n_0, \min \left(\sum_{i \in D_G(n_1)} \min(d_i, n_0), \sum_{i \in D_G(n_0)} \min(d_i, n_1) \right) \right], \quad (\text{A14})$$

$$m_{11}^l = \max \left(0, \left\lfloor \frac{\sum_{i \in D_G(n_1)} d_i - \sum_{i \in D_G(n_0)} \min(d_i, n_1)}{2} \right\rfloor \right), \quad (\text{A15})$$

$$m_{10}^l = \max \left(1; \sum_{i \in D_G(n_1)} \max[0, d_i - (n_1 - 1)]; \sum_{i \in D_G(n_0)} \max[0, d_i - (n_0 - 1)] \right). \quad (\text{A16})$$

4. Swap of node metadata

In order to approximate the maximum and minimum values of binary assortativity in the metadata space, we use the following heuristic procedure which provides admissible solutions to the graph bisection problem also in the case of unbalanced partitions.

(1) Take into account the network, the metadata vector c and compute r^{current} .

(2) Take into account two randomly chosen entries of c , called c_i and c_j , such that $c_i = 1$ and $c_j = 0$ (or vice versa).

(3) Swap the values of c_i and c_j and compute r^{swap} .

In the case of assortativity maximization:

if $r^{\text{swap}} > r^{\text{current}}$, then the switch is accepted and $r^{\text{current}} = r^{\text{swap}}$;

if $r^{\text{swap}} \leq r^{\text{current}}$, then with probability $p = 0.001$ the swap is accepted, and $r^{\text{current}} = r^{\text{swap}}$.

In the case of assortativity minimization:

if $r^{\text{swap}} < r^{\text{current}}$, then the swap is accepted and $r^{\text{current}} = r^{\text{swap}}$;

if $r^{\text{swap}} \geq r^{\text{current}}$, then with probability p the swap is accepted, and $r^{\text{current}} = r^{\text{swap}}$.

Steps 2 and 3 of the procedure are iterated several times and different repetitions are performed.

5. Freeman's segregation

By using the notation of [35], segregation S can be expressed starting from the relation

$$s = \begin{cases} \mathbb{E}(e^*) - e^*, & \text{if and only if } \mathbb{E}(e^*) \geq e^*, \\ 0, & \text{otherwise.} \end{cases} \quad (\text{A17})$$

In such a formula e^* is the number of cross-class edges (i.e., m_{10}) and $\mathbb{E}(e^*)$ is the first moment of e^* . Therefore, S is expressed as $S = s/\mathbb{E}(e^*) \in [0, 1]$. Any value of S may be interpreted simply as the ratio of the number of missing cross-class links to the expected number of such links. By using the notation that we adopted throughout the paper, we can express the number of cross-class links as have $e^* = m_{10}$. Thus

$$S = \frac{\mathbb{E}(m_{10}) - m_{10}}{\mathbb{E}(m_{10})}. \quad (\text{A18})$$

A value of $S = 1$ indicates that there are no cross-class links and that segregation is complete. Whenever $m_{10}^l \neq 0$ we can guarantee the absence of complete segregation for any realization of the considered D_G .

6. Dataset description

a. Facebook100

The Facebook100 dataset [25] contains an anonymized snapshot of the friendship connections among 1 208 316 users affiliated with the first 100 colleges admitted to Facebook. The dataset contains a total of 93 969 074 friendship links between users of the same college. Each node has a set of discrete-valued social attributes: status {undergraduate, graduate student, summer student, faculty, staff, alumni}, dorm, major, gender {male, female}, and graduation year.

b. Wolf dominance

The network represents a set of dominance relationships among a captive family of wolves [27]. Common signs of dominance among wolves are two low postures (namely low and low-on-back) and two behaviors (namely body tail wag and lick mouth [37]). In such a network a node corresponds to a wolf and a link exists if a wolf exhibited a low posture to another one. The network with $n = 16$ nodes and $m = 148$ links is provided with metadata such as age and gender.

7. Bounds for scale-free networks

Given a certain degree sequence D_G with n elements that follows a power-law distribution with exponent γ , the fraction

of nodes holding a certain degree value d is $p(d) = ad^{-\gamma}$ where a is chosen so that the sum over $p(d)$ equals 1.

In order to obtain the number of nodes n from the sum of $p(d)$ we simply multiply the parameter a by n thus

$$\sum_{d_{\min}}^{d_{\max}} ad^{-\gamma} n = an \sum_{d_{\min}}^{d_{\max}} d^{-\gamma} = b \sum_{d_{\min}}^{d_{\max}} d^{-\gamma} = n, \quad (\text{A19})$$

where d_{\min} and d_{\max} are, respectively, the minimum and maximum degree values in D_G . Such a summation can be approximated by

$$b \int_{d_{\min}}^{d_{\max}} x^{-\gamma} dx. \quad (\text{A20})$$

In this continuous model of a power-law distribution, where the limit of large networks is usually considered, it is a reasonable approximation to assume that the degree values extend to infinity:

$$b \int_{d_{\min}}^{+\infty} x^{-\gamma} dx \approx n, \quad (\text{A21})$$

in other words

$$b \frac{d_{\min}^{1-\gamma}}{\gamma-1} \approx n. \quad (\text{A22})$$

The maximum degree is determined by

$$b \int_{d_{\max}}^{+\infty} x^{-\gamma} dx \approx 1, \quad (\text{A23})$$

since only one node has degree $\geq d_{\max}$, in other words

$$b \frac{d_{\max}^{1-\gamma}}{\gamma-1} \approx 1. \quad (\text{A24})$$

By comparison, we find the classic relation:

$$d_{\max} \approx d_{\min}^{1/(\gamma-1)}. \quad (\text{A25})$$

Given a certain value of n_1 , we can write an approximation of the tail (head) of the degree sequence $D_G^T(n_1)$ [$D_G^H(n_1)$], using arguments similar to those presented above. In order to write such an approximation we need to identify the degree value d that, fixed n_1 , guarantees us to consider n_1 elements of the degree sequence. Accordingly, the degree value d will be the variable of our equation.

The degree value d up to which we need to cut the degree sequence in order to obtain an approximation of $D_G^T(n_1)$ (made up of n_1 not necessarily different degree values) can be obtained via the following equation:

$$b \int_{d_{\min}}^d x^{-\gamma} dx \approx n_1 \quad (\text{A26})$$

and thus

$$b \int_d^{+\infty} x^{-\gamma} dx \approx n - n_1 = n_0, \quad (\text{A27})$$

in other words

$$b \frac{d^{1-\gamma}}{\gamma-1} \approx n_0. \quad (\text{A28})$$

Comparing with the above we find

$$d \approx d_{\min}(n/n_0)^{1/(\gamma-1)}. \quad (\text{A29})$$

The total number of edges is $m = \sum_i d_i/2$ which can be approximated by

$$m \approx \frac{b}{2} \int_{d_{\min}}^{+\infty} x x^{-\gamma} dx = \frac{b}{2} \frac{d_{\min}^{2-\gamma}}{2-\gamma} = \frac{n}{2} d_{\min} \frac{\gamma-1}{\gamma-2}. \quad (\text{A30})$$

This allows us to find the sum of all n_1 bottom degrees [i.e., of the elements in $D_G^T(n_1)$]:

$$\sum_{i \in D_G^T(n_1)} d_i = b \int_{d_{\min}}^d x x^{-\gamma} dx = 2m - b \int_d^{+\infty} x x^{-\gamma} dx, \quad (\text{A31})$$

which is

$$2m - n_0 d \frac{\gamma-1}{\gamma-2}$$

that, using Eq. (A29), can be turned into

$$n d_{\min} \frac{\gamma-1}{\gamma-2} - n_0 d_{\min} (n/n_0)^{1/(\gamma-1)} \frac{\gamma-1}{\gamma-2},$$

which can be simplified to

$$n d_{\min} \frac{\gamma-1}{\gamma-2} [1 - (n_0/n)^{(\gamma-2)/(\gamma-1)}]$$

and finally to

$$\sum_{i \in D_G^T(n_1)} d_i = 2m [1 - (n_0/n)^{(\gamma-2)/(\gamma-1)}].$$

It follows that the sum of top degrees [i.e., of the elements in $D_G^H(n_0)$] is

$$D_G^H(n_0) = 2m (n_0/n)^{(\gamma-2)/(\gamma-1)}.$$

For example, for $\gamma = 3$ and $n_0 = n_1 = n/2$,

$$\sum_{i \in D_G^T(n_1)} d_i \approx 2m (1 - \sqrt{2}/2).$$

Finally, $D_G^T(n_0)$ and $D_G^H(n_1)$ can be obtained analogously by means of the equality $n_0 = n - n_1$. In summary

$$\begin{aligned} \sum_{i \in D_G^T(n_1)} d_i &= 2m [1 - (n_0/n)^{(\gamma-2)/(\gamma-1)}], \\ \sum_{i \in D_G^H(n_0)} d_i &= 2m (n_0/n)^{(\gamma-2)/(\gamma-1)}, \\ \sum_{i \in D_G^T(n_0)} d_i &= 2m [1 - (n_1/n)^{(\gamma-2)/(\gamma-1)}], \\ \sum_{i \in D_G^H(n_1)} d_i &= 2m (n_1/n)^{(\gamma-2)/(\gamma-1)}. \end{aligned}$$




FIG. 8. Upper and lower bounds to binary assortativity for a scale-free network with $\gamma = 3$.

Since we computed the degree sums of different portions of the degree sequence analytically, the bounds to the edge counts can be simplified to

$$m_{11}^u = \min \left[\binom{n_1}{2}, m (n_1/n)^{(\gamma-2)/(\gamma-1)} \right], \quad (\text{A32})$$

$$m_{10}^u = \min [n_1 n_0, m (n_0/n)^{(\gamma-2)/(\gamma-1)}] \quad (\text{A33})$$

(assuming $n_0 \leq n_1$),

$$m_{11}^l = \max \{0, m [1 - 2(n_0/n)^{(\gamma-2)/(\gamma-1)}]\}, \quad (\text{A34})$$

$$m_{10}^l = \max \{1; 2m [1 - 2(n_0/n)^{(\gamma-2)/(\gamma-1)}] - n_1 (n_1 - 1)\} \quad (\text{A35})$$

(assuming nontrivial case $0 < n_1 < n$).

If we assume that n_0/n is a constant fraction α_0 (not 0 and not 1) while $n \rightarrow \infty$ and d_{\min} and γ remain constant, we can further simplify

$$m_{11}^u = m \alpha_1^{(\gamma-2)/(\gamma-1)}, \quad (\text{A36})$$

$$m_{10}^u = m \alpha_0^{(\gamma-2)/(\gamma-1)} \quad (\text{A37})$$

(assuming $\alpha_0 \leq \alpha_1$),

$$m_{11}^l = m \max(0, 1 - 2\alpha_0^{(\gamma-2)/(\gamma-1)}), \quad (\text{A38})$$

$$m_{10}^l = 1. \quad (\text{A39})$$

Using the bounds to the edge counts we can compute upper and lower bounds to binary assortativity as in Eqs. (15) and (21). As an example we consider a scale-free degree distribution with $\gamma = 3$ for which we obtain the bounds reported in Fig. 8. While the upper bound is uninformative, the lower bound becomes tighter in the presence of a small minority ($n_0 \ll n_1$ and $n_1 \ll n_0$) allowing room only for slightly disassortative configurations.

[1] M. E. J. Newman, Mixing patterns in networks, *Phys. Rev. E* **67**, 026126 (2003).

[2] M. Fréchet, Sur les tableaux dont les marges et des bornes sont données, *Rev. l'Inst. Int. Stat.* **28**, 10 (1960).

- [3] W. Hoeffding, Scaleinvariant correlation theory, in *The Collected Works of Wassily Hoeffding* (Springer, Berlin, 1994), pp. 57–107.
- [4] M. Jadidi, F. Karimi, H. Lietz, and C. Wagner, Gender disparities in science? Dropout, productivity, collaborations and success of male and female computer scientists, *Adv. Complex Syst.* **21**, 1750011 (2017).
- [5] K. Lerman, X. Yan, and X.-Z. Wu, The majority illusion in social networks, *PLoS One* **11**, e0147617 (2016).
- [6] E. Lee, F. Karimi, C. Wagner, H.-H. Jo, M. Strohmaier, and M. Galesic, Homophily and minority-group size explain perception biases in social networks, *Nat. Human Behaviour* **3**, 1078 (2019).
- [7] B. K. Fosdick, D. B. Larremore, J. Nishimura, and J. Ugander, Configuring random graph models with fixed degree sequences, *SIAM Rev.* **60**, 315 (2018).
- [8] J. Park and A.-L. Barabási, Distribution of node characteristics in complex networks, *Proc. Natl. Acad. Sci.* **104**, 17916 (2007).
- [9] G. U. Yule, On the methods of measuring association between two attributes, *J. R. Stat. Soc.* **75**, 579 (1912).
- [10] F. J. Anscombe, Graphs in statistical analysis, *Am. Stat.* **27**, 17 (1973).
- [11] L. Peel, J.-C. Delvenne, and R. Lambiotte, Multiscale mixing patterns in networks, *Proc. Natl. Acad. Sci.* **115**, 4057 (2018).
- [12] E. E. Cureton, Note on φ/φ_{\max} , *Psychometrika* **24**, 89 (1959).
- [13] J. P. Guilford, The minimal phi coefficient and the maximal phi, *Educ. Psychol. Meas.* **25**, 3 (1965).
- [14] M. Cinelli, G. Ferraro, and A. Iovanella, Structural bounds on the dyadic effect, *J. Complex Networks* **5**, 694 (2017).
- [15] M. Cinelli, G. Ferraro, and A. Iovanella, Evaluating relevance and redundancy to quantify how binary node metadata interplay with the network structure, *Sci. Rep.* **9**, 1 (2019).
- [16] Code is available online: <https://github.com/cinhelli/Network-constraints-on-the-mixing-patterns-of-binary-node-metadata>.
- [17] L. Di Paola, M. De Ruvo, P. Paci, D. Santoni, and A. Giuliani, Protein contact networks: an emerging paradigm in chemistry, *Chem. Rev.* **113**, 1598 (2012).
- [18] D. Lusseau and M. E. J. Newman, Identifying the role that animals play in their social networks, *Proc. R. Soc. London Ser. B* **271**, S477 (2004).
- [19] M. McPherson, L. Smith-Lovin, and J. M. Cook, Birds of a feather: Homophily in social networks, *Annu. Rev. Sociol.* **27**, 415 (2001).
- [20] D. Laniado, Y. Volkovich, K. Kappler, and A. Kaltenbrunner, Gender homophily in online dyadic and triadic relationships, *EPJ Data Sci.* **5**, 19 (2016).
- [21] D. Centola, An experimental study of homophily in the adoption of health behavior, *Science* **334**, 1269 (2011).
- [22] S. A. Cunningham, E. Vaquera, C. C. Maturo, and K. M. V. Narayan, Is there evidence that friends influence body weight? A systematic review of empirical research, *Social Sci. Med.* **75**, 1175 (2012).
- [23] J. N. Rosenquist, J. Murabito, J. H. Fowler, and N. A. Christakis, The spread of alcohol consumption behavior in a large social network, *Ann. Intern. Med.* **152**, 426 (2010).
- [24] K. M. Altenburger and J. Ugander, Monophily in social networks introduces similarity among friends-of-friends, *Nat. Human Behaviour* **2**, 284 (2018).
- [25] A. L. Traud, P. J. Mucha, and M. A. Porter, Social structure of facebook networks, *Physica A* **391**, 4165 (2012).
- [26] L. Peel, D. B. Larremore, and A. Clauset, The ground truth about metadata and community detection in networks, *Sci. Adv.* **3**, e1602548 (2017).
- [27] J. A. R. A. M. van Hooff and J. A. B. Wensing, Dominance and its behavioral measures in a captive wolf pack, in *Man and Wolf: Advances, Issues, and Problems in Captive Wolf Research*, edited by H. Frank (Dr W Junk, Dordrecht, 1987), pp. 219–252.
- [28] J. Cohen, A coefficient of agreement for nominal scales, *Educ. Psychol. Meas.* **20**, 37 (1960).
- [29] J. Ugander, B. Karrer, L. Backstrom, and C. Marlow, The anatomy of the facebook social graph, [arXiv:1111.4503](https://arxiv.org/abs/1111.4503).
- [30] A. Z. Jacobs, S. F. Way, J. Ugander, and A. Clauset, Assembling the facebook: Using heterogeneity to understand online social network assembly, in *Proceedings of the ACM Web Science Conference* (ACM, Oxford, United Kingdom, 2015), p. 18.
- [31] S. N. Dorogovtsev, A. L. Ferreira, A. V. Goltsev, and J. F. F. Mendes, Zero Pearson coefficient for strongly correlated growing trees, *Phys. Rev. E* **81**, 031135 (2010).
- [32] M. E. J. Newman, *Networks: An Introduction* (Oxford University Press, New York, 2010).
- [33] G. Bianconi, P. Pin, and M. Marsili, Assessing the relevance of node features for network structure, *Proc. Natl. Acad. Sci.* **106**, 11433 (2009).
- [34] D. Yang, L. Pan, and T. Zhou, Lower bound of assortativity coefficient in scale-free networks, *Chaos* **27**, 033113 (2017).
- [35] L. C. Freeman, Segregation in social networks, *Sociolog. Methods Res.* **6**, 411 (1978).
- [36] E. Estrada, Combinatorial study of degree assortativity in networks, *Phys. Rev. E* **84**, 047101 (2011).
- [37] R. Schenkel, Submission: Its features and function in the wolf and dog, *Am. Zool.* **7**, 319 (1967).