3rd international conference on ambulatory monitoring of physical activity and movement (University of Massachusetts, Amherst, USA, June 17-19, 2013)

Citation for published version (APA):

Stansfield, B., Clemes, S., John, D., Meijer, K., Melanson, E., Rowlands, A., & Staudenmayer, J. (2014). 3rd international conference on ambulatory monitoring of physical activity and movement (University of Massachusetts, Amherst, USA, June 17-19, 2013). *Physiological Measurement*, 35, 2179-2181. <https://doi.org/10.1088/0967-3334/35/11/2179>

Document status and date:

Published: 01/01/2014

DOI:

[10.1088/0967-3334/35/11/2179](https://doi.org/10.1088/0967-3334/35/11/2179)

Document Version:

Publisher's PDF, also known as Version of record

Document license:

Taverne

Please check the document version of this publication:

- A submitted manuscript is the version of the article upon submission and before peer-review. There can be important differences between the submitted version and the official published version of record. People interested in the research are advised to contact the author for the final version of the publication, or visit the DOI to the publisher's website.
- The final author version and the galley proof are versions of the publication after peer review.
- The final published version features the final layout of the paper including the volume, issue and page numbers.

[Link to publication](#)

General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal.

If the publication is distributed under the terms of Article 25fa of the Dutch Copyright Act, indicated by the "Taverne" license above, please follow below link for the End User Agreement:

www.umlib.nl/taverne-license

Take down policy

If you believe that this document breaches copyright please contact us at:

repository@maastrichtuniversity.nl

providing details and we will investigate your claim.

Download date: 26 Apr. 2023

EDITORIAL

3rd international conference on ambulatory monitoring of physical activity and movement (University of Massachusetts, Amherst, USA, June 17–19, 2013)

To cite this article: Ben Stansfield *et al* 2014 *Physiol. Meas.* **35** 2179

View the [article online](#) for updates and enhancements.

Related content

- [4th International Conference on Ambulatory Monitoring of Physical Activity and Movement \(Limerick, Ireland, 10–12 June 2015\)](#)
Ben Stansfield, Alex Rowlands, Dinesh John *et al.*
- [2nd International Conference on Ambulatory Monitoring of Physical Activity and Movement \(Glasgow Caledonian University, UK, 24–27 May 2011\)](#)
Malcolm Granat, Hans Bussmann, Nigel Lovell *et al.*
- [A 20 min window is optimal in a non-wear algorithm for tri-axial thigh-worn accelerometry in overweight people](#)
Brenda A J Berendsen, Marika R C Hendriks, Paul Willems *et al.*

The Electrochemical Society
Advancing solid state & electrochemical science & technology

The ECS is seeking candidates to serve as the
Founding Editor-in-Chief (EIC) of ECS Sensors Plus,
a journal in the process of being launched in 2021

The goal of ECS Sensors Plus, as a one-stop shop journal for sensors, is to advance the fundamental science and understanding of sensors and detection technologies for efficient monitoring and control of industrial processes and the environment, and improving quality of life and human health.

Nomination submission begins: May 18, 2021

Editorial

3rd international conference on ambulatory monitoring of physical activity and movement (University of Massachusetts, Amherst, USA, June 17–19, 2013)

This focus issue of *Physiological Measurement* follows the successful ‘3rd International Conference on Ambulatory Monitoring of Physical Activity and Movement (ICAMPAM2013)’, hosted by the University of Massachusetts, Amherst, USA. The conference was jointly Chaired by Patty Freedson (University of Massachusetts, Amherst) and David Bassett (University of Tennessee, Knoxville) with a focus shaped by an international scientific committee bringing together expertise from North America, Europe, Asia and Australasia.

Ambulatory monitoring of physical activity and movement has progressed significantly in recent years with improvements in devices and concurrent advances in data interpretation methods. The ICAMPAM conferences have played a key role in bringing together researchers advancing these fields, providing a forum for presentation, discussion and debate on new developments.

Over 200 abstracts were presented at ICAMPAM2013 exploring the themes of physical activity, sedentary behaviour and sleep measurement. This content highlights current interest in, not only the physical activity that people perform to maintain and enhance health and engage in functional everyday activity, but also the growing importance of sedentary behaviour and sleep as components of lifestyle that impact on our wellbeing.

This focus issue contains selected full publications developed from conference abstracts and provides an insight into the areas covered during the conference.

Innovations in population based studies have highlighted the potential of wrist mounted ambulatory monitoring devices to increase compliance. There is, however, a need for considerable further development in the analysis of the wealth of data collected from these devices, a subject that received appropriate attention during the conference (Ellis *et al* 2014, Trost *et al* 2014).

Methods of monitoring ambulatory physical activity and movement were placed under scrutiny with advances proposed and changes in methods assessed. Examples include the enhancement of wear-time characterisation (Berendsen *et al* 2014), establishing minimum wear-time (Hislop *et al* 2014) and providing guidance for minimum data collection requirements (Kang *et al* 2014). Proposals for improvements in data analysis using existing devices were put forward (e.g. Tulchin-Francis *et al* 2014) to help optimise data exploitation. Also Li and Zhang demonstrated a method of improving the performance of inertial measurement of joint angles (Li and Zhang 2014). The use of ubiquitous technologies, e.g. mobile phones, provides a platform that might be used to routinely collect data on physical activity and movement. It was appropriate, therefore, that conference presentations included examination of methods to cope with real world data quality to develop useful outcomes (Del Rosario *et al* 2014).

Whilst ICAMPAM has a history of promoting methods development there is also a strong focus on the application of methods tailored to gain insight into specific populations (e.g. Parkinson’s disease (Benka Wallén *et al* 2014), Self-propelled wheelchair users (Kooijmans *et al* 2014),

young people with cerebral palsy (O'Donoghue *et al* 2014)). Also the relationships between self-reported outcomes and objective measures of physical activity and movement have been characterised (Chastin *et al* 2014, McBrearty *et al* 2014) to enhance understanding of how people use this type of reporting to describe their physical activity and sedentary behaviour engagement.

This Focus Issue of Physiological Measurement provides insight into the scope and coverage of the ICAMPAM conference series.

Following the continued success of the ICAMPAM series the topics of physical activity and sedentary behaviour have been brought together within a new society. The International Society for the Measurement of Physical Behaviour (ISMPB) (www.ismpb.org/) was formed to pursue the following aim:

'To promote and facilitate the study and applications of objective measurement and quantification of free-living physical behaviour(s) and its related constructs (e.g. energy expenditure, context) using wearable devices.'

Under the auspices of the ISMPB, the fourth conference in the series, ICAMPAM2015, will take place at the University of Limerick, Ireland, hosted by Alan Donnelly (www.ismpb.org/2015-limerick/) from 10–12 June 2015. The conference themes will be: Physical Activity, Sedentary Behaviour and Sensing & Signal Processing. Sub-topics will cover: Measurement and quantification of physical behaviours; Measuring and optimising physical behaviours in clinical populations; Engineering and device development; Data processing, statistics and computational methods.

Ben Stansfield

Glasgow Caledonian University, Glasgow, UK

Stacy Clemes

Loughborough University, Loughborough, UK

Dinesh John

Northeastern University, Boston, USA

Kenneth Meijer

Maastricht University, Netherlands

Ed Melanson

University of Colorado, Denver, USA

Alex Rowlands

University of Southern Australia, Adelaide, Australia

John Staudenmayer

University of Massachusetts, Amherst, USA

References

- Benka Wallén M, Nero H, Franzén E and Hagströmer M 2014 Comparison of two accelerometer filter settings in individuals with Parkinson's disease *Physiol. Meas.* **35** 2287–96
- Berendsen B A J, Hendriks M R C, Willems P, Meijer K, Schaper N C and Savelberg H H C M 2014 A 20 min window is optimal in a nonwear algorithm for tri-axial thigh-worn accelerometry in overweight people *Physiol. Meas.* **35** 2205–12

- Chastin S F M, Culhane B and Dall P M 2014 Comparison of self-reported measure of sitting time (IPAQ) with objective measurement (activPAL) *Physiol. Meas.* **35** 2319–28
- Del Rosario M B, Wang K, Wang J, Liu Y, Brodie M, Delbaere K, Lovell N H, Lord S R and Redmond S J 2014 A comparison of activity classification in younger and older cohorts using a smartphone *Physiol. Meas.* **35** 2269–86
- Ellis K, Kerr J, Godbole S, Lanckriet G, Wing D and Marshall S 2014 A random forest classifier for the prediction of energy expenditure and type of physical activity from wrist and hip accelerometers *Physiol. Meas.* **35** 2191–2203
- Hislop J, Law J, Rush R, Grainger A, Bulley C, Reilly J J and Mercer T 2014 An investigation into the minimum accelerometry wear time for reliable estimates of habitual physical activity and definition of a standard measurement day in pre-school children *Physiol. Meas.* **35** 2213–28
- Kang M, Bjornson K, Barreira T V, Ragan B G and Song K 2014 The minimum number of days required to establish reliable physical activity estimates in children aged 2–15 years *Physiol. Meas.* **35** 2229–2237
- Kooijmans H, Horemans H L D, Stam H J and Bussmann J B J 2014 Valid detection of self-propelled wheelchair driving with two accelerometers *Physiol. Meas.* **35** 2297–2306
- Li Q and Zhang J-T 2014 Post-trial anatomical frame alignment procedure for comparison of 3D joint angle measurement from magnetic/inertial measurement units and camera-based systems *Physiol. Meas.* **35** 2255–68
- McBrearty D, McCrorie P, Granat M, Duncan E and Stansfield B 2014 Objective assessment of intensity categorization of the previous day physical activity recall questionnaire in 11–13 year old children *Physiol. Meas.* **35** 2329–42
- O'Donoghue D and Kennedy N 2014 Validity of an activity monitor in young people with cerebral palsy gross motor function classification system level I *Physiol. Meas.* **35** 2307–18
- Trost S G, Zheng Y and Wong W-K 2014 Machine learning for activity recognition: hip versus wrist data *Physiol. Meas.* **35** 2183–89
- Tulchin-Francis K, Stevens W Jr and Jeans K 2014 Intensity and duration of activity bouts decreases in healthy children between 7 and 13 years of age: a new, higher resolution method to analyze StepWatch activity monitor data *Physiol. Meas.* **35** 2239–2254