Reply to Henningsen et al.

Citation for published version (APA):

Rief, W., Korwisi, B., Nicholas, M., Vlaeyen, J. W. S., Smith, B. H., First, M. B., Kosek, E., Barke, A., & Treede, R-D. (2019). Reply to Henningsen et al. Chronic primary pain : a pain-centered view of the world is too narrow. *Pain*, 160(7), 1683-1685. <https://doi.org/10.1097/j.pain.0000000000001564>

Document status and date:

Published: 01/07/2019

DOI:

[10.1097/j.pain.0000000000001564](https://doi.org/10.1097/j.pain.0000000000001564)

Document Version:

Publisher's PDF, also known as Version of record

Document license:

Taverne

Please check the document version of this publication:

- A submitted manuscript is the version of the article upon submission and before peer-review. There can be important differences between the submitted version and the official published version of record. People interested in the research are advised to contact the author for the final version of the publication, or visit the DOI to the publisher's website.
- The final author version and the galley proof are versions of the publication after peer review.
- The final published version features the final layout of the paper including the volume, issue and page numbers.

[Link to publication](#)

General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal.

If the publication is distributed under the terms of Article 25fa of the Dutch Copyright Act, indicated by the "Taverne" license above, please follow below link for the End User Agreement:

www.umlib.nl/taverne-license

Take down policy

If you believe that this document breaches copyright please contact us at:

repository@maastrichtuniversity.nl

providing details and we will investigate your claim.

Philipps-University Marburg,
Marburg, Germany
Marburg, Germany

^cCentre for Neuroscience,
Surgery and Trauma,
Blizard Institute,

Wingate Institute of Neurogastroenterology,
Barts and The London School of Medicine and Dentistry,
Queen Mary, University of London,
London, United Kingdom

^dDepartment of Medicine and Science of Aging,
CeSI-MeT, G D'Annunzio University of Chieti,
Chieti, Italy

^eDivision of Clinical and Biological Psychology,
Department of Psychology,
Catholic University of Eichstätt-Ingolstadt,
Eichstätt, Germany

E-mail address: Rolf-Detlef.Treede@medma.uni-heidelberg.de
(R.-D. Treede)

<http://dx.doi.org/10.1097/j.pain.0000000000001558>

Chronic primary pain: a pain-centered view of the world is too narrow

Letter to Editor:

We read with interest the IASP classification of chronic primary pain for *ICD-11*.⁵ It has been notoriously difficult to classify the symptoms of patients who suffer from chronic bodily distress such as pain. The new IASP proposal for *ICD-11* is an important step forward: It secures a space in the classification that is neutral concerning the misleading dichotomy of somatic vs mental disorders, and in the definition of chronic primary pain, it includes emotional distress and functional disability as important components. However, the focus on pain only is a major disadvantage of this proposal. Although pain is the most frequent, it is by no means the only bodily symptom for which the characteristics developed in the proposal apply: patients with dizziness, palpitations, indigestion, numbness, motor disturbances, and many other symptoms that often also occur together with chronic pain^{2–4} are in need of an improved classification as well. Even if chronic pain is one major symptom in some of the so-called primary pain syndromes such as fibromyalgia syndrome and irritable bowel syndrome, some of these patients suffer more from fatigue than from pain.^{1,3} A pain-centered view on somatic syndromes is therefore not appropriate.

In addition, the chronic pain proposal is not well aligned with the suggestions for bodily distress disorder and bodily stress syndrome in other parts of *ICD-11*.⁶ Hence, the fact that nonpain symptoms are left out by the IASP proposal unfortunately carries the risk of increasing separations and confusions in *ICD-11*.

In addition, the authors claim that the term “functional” is ambiguous.⁵ However, the term “functional disorders” is well established in gastroenterology, eg, in the Rome criteria for functional gastrointestinal disorders⁷ and should not be relinquished until a better term has been broadly accepted.

We agree with the IASP working group for *ICD-11* that the new version of the *International Classification of Diseases* should be easily applicable in primary care as well as improve accurate epidemiological investigations and characterization of patients for clinical studies.⁸ IASP cannot reach these goals single-handedly. A collaboration with other associations (general medicine, gastroenterology, psychiatry, and psychosomatic medicine) is necessary.

Conflict of interest statement

The authors have no conflict of interest to declare.

References

- [1] Clauw DJ, D'Arcy Y, Gebke K, Semel D, Pauer L, Jones KD. Normalizing fibromyalgia as a chronic illness. *Postgrad Med* 2018;130:9–18.
- [2] Fink P, Toft T, Hansen MS, Ombol E, Olesen F. Symptoms and syndromes of bodily distress: an exploratory study of 978 internal medical, neurological, and primary care patients. *Psychosom Med* 2007;69:30–9.
- [3] Frändemark Å, Jakobsson Ung E, Törnblom H, Simrén M, Jakobsson S. Fatigue: a distressing symptom for patients with irritable bowel syndrome. *Neurogastroenterol Motil* 2017;29.
- [4] Häuser W, Wolfe F, Henningsen P, Schmutzer G, Brähler E, Hinz A. Untying chronic pain: prevalence and societal burden of chronic pain stages in the general population—a cross-sectional survey. *BMC Public Health* 2014;14:352.
- [5] Nicholas M, Vlaeyen JWS, Rief W, Barke A, Aziz Q, Benoliel R, Cohen M, Evers S, Giamberardino MA, Goebel A, Korwisi B, Perrot S, Svensson P, Wang SJ, Treede RD: IASP Taskforce for the Classification of Chronic Pain. The IASP classification of chronic pain for ICD-11: chronic primary pain. *PAIN* 2019;160:28–37.
- [6] Reed GM, First MB, Kogan CS, Hyman SE, Gureje O, Gaebel W, Maj M, Stein DJ, Maercker A, Tyrer P, Claudino A, Garraza E, Salvador-Carulla L, Ray R, Saunders JB, Dua T, Poznyak V, Medina-Mora ME, Pike KM, Ayuso-Mateos JL, Kanba S, Keeley JW, Khoury B, Krasnov VN, Kulygina M, Lovell AM, de Jesus Mari J, Maruta T, Matsumoto C, Rebello TJ, Roberts MC, Robles R, Sharan P, Zhao M, Jablensky A, Udomratn P, Rahimi-Movaghar A, Rydelius PA, Bährer-Köhler S, Watts AD, Saxena S. Innovations and changes in the ICD-11 classification of mental, behavioural and neurodevelopmental disorders. *World Psychiatry* 2019;18:3–19.
- [7] Tack J, Drossman DA. What's new in Rome IV? *Neurogastroenterol Motil* 2017;29.
- [8] Treede RD, Rief W, Barke A, Aziz Q, Bennett MI, Benoliel R, Cohen M, Evers S, Finnerup NB, First MB, Giamberardino MA, Kaasa S, Korwisi B, Kosek E, Lavand'homme P, Nicholas M, Perrot S, Scholz J, Schug S, Smith BH, Svensson P, Vlaeyen JWS, Wang SJ. Chronic pain as a symptom or a disease: the IASP classification of chronic pain for the International Classification of Diseases (ICD-11). *PAIN* 2019;160:19–27.

Peter Henningsen^a

Peter Layer^b

Per Fink^c

Winfried Häuser^{a,d}

^aDepartment Psychosomatic Medicine and Psychotherapy,
Technische Universität München,
München, Germany

^bMedical Department, Israeli Hospital,
University of Hamburg,
Hamburg, Germany

^cFunctional Disorders, Aarhus University Hospital,
Aarhus, Denmark

^dInternal Medicine 1, Klinikum Saarbrücken,
Saarbrücken, Germany

E-mail address: whaeuser@klinikum-saarbruecken.de
(W. Häuser).

<http://dx.doi.org/10.1097/j.pain.0000000000001563>

Reply to Henningsen et al.

Letter to Editor:

We are grateful for the positive evaluation of our classification proposal on chronic pain disorders of Henningsen et al.,⁴ confirming that this is an important step forward and avoiding any artificial dichotomy of somatic vs mental disorders. However, the authors were concerned that we focused only on pain and overlooked the frequent overlap of pain symptoms with other bodily complaints, and that we did not harmonize our proposal with the new suggestions of “bodily distress disorder” in the psychiatric part of the *ICD-11* draft or with other “functional syndromes”.⁴

Indeed, we aimed to improve the classification of chronic pain conditions, but not to solve all classification problems in the large field of what are often referred to as “medically unexplained symptoms”.⁹ Many “functional disorders” are poorly defined, distributed over different categories of medical specialties, and use different frameworks for classifying these disorders. We strongly encourage the authors, all of them being acknowledged experts of psychosomatic medicine, to further advance the classification of the various functional somatic syndromes in medicine. If a comprehensive classification system for functional syndromes exists, we will be delighted to harmonize our proposal with it. However, we are currently not aware of such a comprehensive classification system of functional disorders, but only of specialized approaches (such as the ROME criteria in gastroenterology³).

Internationally, chronic pain conditions have been found to be among the most disabling medical conditions,^{2,7} and arguably, the widely recognised shortcomings of both *ICD-10* and *DSM-5* in the diagnosis of chronic pain have contributed to the suboptimal identification and treatment of these conditions.⁹ If various biopsychosocial influences are identified, and the chronic pain condition is not better accounted for by another primary medical condition, we recommend to use the diagnosis of “chronic primary pain”.⁵ We do not recommend that this should be considered a mental disorder, such as the recently suggested “bodily distress disorder” mentioned by the authors,⁴ because chronic pain is not a mental disorder, although it often has mental disorders, such as depression, as comorbidities. Moreover, we are very confident that chronic primary pain as a term will be highly acceptable to patients, pain experts, but also in general medicine. The initial data from field trials and surveys in patient health groups confirm this assumption.¹ The German predecessor of the chronic primary pain diagnosis, “chronic pain with somatic and psychological factors,” became one of the most frequently used diagnoses in tertiary care in Germany after its introduction⁶ and was far more frequently used than “bodily distress disorder” or any of its precursors, further underlining the high acceptability of this development. However, we agree with Henningsen et al.⁴ that many patients with chronic pain symptoms suffer from additional somatic complaints. We would contend that these are acknowledged in the different subtypes of chronic primary pain,⁵ and multiple parenting can be applied.^{9,11} Such overlaps are typical for many medical and psychiatric conditions, and are not unique for pain. After the rationale of *ICD-11*,^{10,11} this should be addressed using comorbidity diagnoses, until future classification systems address the issue of overlapping syndromes better than is currently the case.

Finally, in reference to the authors’ contention that IASP could not achieve the stated goals by itself and that we should be collaborating with other associations,⁴ we want to bring to the authors’ attention the fact that our classification proposal of chronic pain syndromes was developed by a large multidisciplinary expert group that included clinicians and researchers from various medical specialties (eg, rheumatology, neurology, pain medicine, and primary care⁸), dentistry, and psychology. Nevertheless, continuing this interdisciplinary perspective, we are looking forward to further improving our proposal through collaborations with other expert groups.

Conflict of interest statement

A. Barke reports personal fees from International Association for the Study of Pain during the conduct of the study. M. First

reports personal fees from Lundbeck International Neuroscience Foundation, outside the submitted work. R.-D. Treede reports grants from Boehringer Ingelheim, Astellas, AbbVie, Bayer, personal fees from Astellas, Grünenthal, Bauerfeind, Hydra, Bayer, grants from EU, DFG, BMBF, outside the submitted work. The remaining authors have no conflicts of interest to declare.

References

- [1] Barke A, Korwisi B, Casser HR, Fors EA, Geber C, Schug S, Stubhaug A, Ushida T, Wetterling T, Rief W, Treede RD. Pilot field testing of the chronic pain classification for ICD-11: the results of ecological coding. *BMC Public Health* 2018;18:1239.
- [2] Blyth FM, Briggs AM, Huckel Schneider C, Hoy DG, March LM. The global burden of musculoskeletal pain—where to go from here? *Am J Public Health* 2019;109:35–40.
- [3] Drossman DA, Hasler WL. Rome IV-functional GI disorders: disorders of gut-brain interaction. *Gastroenterology* 2016;150:1257–61.
- [4] Henningsen P, Løyer P, Fink P, Häuser W. Chronic primary pain: a pain-centered view of the world is too narrow. *PAIN* 2019;160:1683.
- [5] Nicholas M, Vlaeyen JWS, Rief W, Barke A, Aziz Q, Benoliel R, Cohen M, Evers S, Giamberardino MA, Göbel A, Korwisi B, Perrot S, Svensson P, Wang SJ, Treede RD. The IASP Taskforce for the Classification of Chronic Pain. The IASP classification of chronic pain for ICD-11: chronic primary pain. *PAIN* 2019;160:28–37.
- [6] Nilges P, Rief W, Kaiser U, Lutz J, Pfingsten M, Arnold B. Diagnosis F45 is scientifically reliable. *Schmerz* 2018;32:213–15.
- [7] Rice ASC, Smith BH, Blyth FM. Pain and the global burden of disease. *PAIN* 2016;157:791–6.
- [8] Smith BH, Fors EA, Korwisi B, Barke A, Cameron P, Colvin L, Richardson C, Rief W, Treede RD; The IASP Taskforce for the Classification of Chronic Pain. The IASP classification of chronic pain for ICD-11: applicability in primary care. *PAIN* 2019;160:83–7.
- [9] Treede RD, Rief W, Barke A, Aziz Q, Bennett MI, Benoliel R, Cohen M, Evers S, Finnerup NB, First MB, Giamberardino MA, Kaasa S, Korwisi B, Kosek E, Lavand'homme P, Nicholas M, Perrot S, Scholz J, Schug S, Smith BH, Svensson P, Vlaeyen JWS, Wang SJ. Chronic pain as a symptom or a disease: the IASP classification of chronic pain for the international classification of diseases (ICD-11). *PAIN* 2019;160:19–27.
- [10] World Health Organization. Frozen version of ICD-11 for preparing implementation. 2018. Available at: <https://icd.who.int/browse11/l-m/en/>. Accessed March 4, 2019.
- [11] World Health Organization. ICD-11 International Classification of Diseases for Mortality and Morbidity Statistics. Eleventh Revision. Reference Guide. Geneva: WHO, 2019. Available at: <https://icd.who.int/icd11refguide/en/index.html>. Accessed March 4, 2019.

Winfried Rief^a
Beatrice Korwisi^a
Michael Nicholas^a
Johan W.S. Vlaeyen^{c,d,e}
Blair H. Smith^f
Michael B. First^g
Eva Kosek^h
Antonia Barkeⁱ
Rolf-Detlef Treede^j

^aDepartment of Clinical Psychology and Psychotherapy
 Marburg University
 Marburg, Germany

^bPain Management Research Institute
 Royal North Shore Hospital
 University of Sydney
 Sydney, Australia

^cResearch Group Health Psychology
 University of Leuven
 Leuven, Belgium

^dDepartment of Clinical Psychological Science
 Maastricht University
 Maastricht, the Netherlands

^eTRACE,
Center for Translational Health Research
KU Leuven—Ziekenhuis Oost-Limburg,
Genk, Belgium
^fDivision of Population Health and Genomics
School of Medicine
University of Dundee
Dundee, Scotland
^gDepartment of Psychiatry
Columbia University
New York State Psychiatric Institute
New York,
NY, United States

^hDepartment of Clinical Neuroscience
Karolinska Institutet
Stockholm, Sweden
ⁱCatholic University of Eichstätt-Ingolstadt
Department of Clinical and Biological Psychology
Eichstätt, Germany
^jDepartment of Neurophysiology,
Center for Biomedicine and Medical Technology Mannheim
(CBTM)
Medical Faculty Mannheim of Heidelberg University
Mannheim, Germany
E-mail address: rief@uni-marburg.de (W. Rief)
<http://dx.doi.org/10.1097/j.pain.0000000000001564>