Response to

Citation for published version (APA):

Deshmukh, A., Prinzen, F. W., & Deshmukh, P. (2020). Response to: Next-level examination of His-optimized cardiac resynchronization therapy by noninvasive electrocardiographic activation mapping. *Journal of Cardiovascular Electrophysiology*, 31(11), 3064-3064. <https://doi.org/10.1111/jce.14734>

Document status and date:

Published: 01/11/2020

DOI:

[10.1111/jce.14734](https://doi.org/10.1111/jce.14734)

Document Version:

Publisher's PDF, also known as Version of record

Document license:

Taverne

Please check the document version of this publication:

- A submitted manuscript is the version of the article upon submission and before peer-review. There can be important differences between the submitted version and the official published version of record. People interested in the research are advised to contact the author for the final version of the publication, or visit the DOI to the publisher's website.
- The final author version and the galley proof are versions of the publication after peer review.
- The final published version features the final layout of the paper including the volume, issue and page numbers.

[Link to publication](#)

General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal.

If the publication is distributed under the terms of Article 25fa of the Dutch Copyright Act, indicated by the "Taverne" license above, please follow below link for the End User Agreement:

www.umlib.nl/taverne-license

Take down policy

If you believe that this document breaches copyright please contact us at:

repository@maastrichtuniversity.nl

providing details and we will investigate your claim.

Response to: Next-level examination of His-optimized cardiac resynchronization therapy by noninvasive electrocardiographic activation mapping

To the Editor,

We thank Drs. Zweerink and Burri for their interest in our study of sequential His bundle and left ventricular pacing for cardiac resynchronization (CRT). We did not use the term His-optimized cardiac resynchronization therapy (HOT-CRT) as described by Vijayaraman et al. because those authors described patients in whom His bundle pacing (HBP) resulted in significant but suboptimal correction of the QRS duration (QRSd). In that series, HBP alone corrected the QRSd to an even greater degree than conventional biventricular pacing, whereas in our cohort, selective HBP resulted in minimal or no change in QRSd.^{1,2} Our study, therefore, demonstrates that even when HBP does not modify a wide QRSd, it still provides a superior alternative to right ventricular pacing for electrical resynchronization.

We agree that vectorcardiographic QRS area is superior to QRSd for assessing CRT given its ability to better predict electrical dyssynchrony, hemodynamic response to CRT, and long-term outcomes of CRT.³⁻⁵ Although requiring specialized acquisition, electrocardiographic imaging (ECGi) using body surface mapping is an intriguing tool to further study electrical dyssynchrony and the response to different CRT modes.^{6,7} We look forward to the data that will be generated from Drs. Zweerink and Burri's ongoing study.

Amrish Deshmukh MD¹

Frits W. Prinzen PhD²

Pramod Deshmukh MD³

¹Department of Internal Medicine, Division of Cardiovascular Medicine, Samuel and Jean Frankel Cardiovascular Center, University of Michigan, Ann Arbor, Michigan, USA

²Cardiovascular Research Institute Maastricht, Maastricht, The Netherlands

³Department of Internal Medicine, Division of Cardiology, Arrhythmia Center, Robert Packer Hospital, Sayre, Pennsylvania, USA

Correspondence

Pramod Deshmukh, MD, Department of Internal Medicine, Division of Cardiology, Arrhythmia Center, Robert Packer Hospital, 1 Guthrie Sq, Sayre, PA 18840, USA.
Email: Seck_pat@guthrie.com

ORCID

Amrish Deshmukh <http://orcid.org/0000-0002-2733-2844>

REFERENCES

- Vijayaraman P, Herweg B, Ellenbogen KA, Gajek J. His-optimized cardiac resynchronization therapy to maximize electrical resynchronization. *Circ Arrhythmia Electrophysiol.* 2019; 12(2):e006934.
- Deshmukh A, Sattur S, Bechtol T, Heckman LIB, Prinzen FW, Deshmukh P. Sequential His bundle and left ventricular pacing for cardiac resynchronization. *J Cardiovasc Electrophysiol.* 2020;31(9): 2448-2454.
- Mafi Rad M, Wijntjens GWM, Engels EB, et al. Vectorcardiographic QRS area identifies delayed left ventricular lateral wall activation determined by electroanatomic mapping in candidates for cardiac resynchronization therapy. *Heart Rhythm.* 2016;13(1):217-225.
- De Pooter J, El Haddad M, De Buyzere M, et al. Biventricular paced QRS area predicts acute hemodynamic CRT response better than QRS duration or QRS amplitudes. *J Cardiovasc Electrophysiol.* 2017; 28(2):192-200.
- van Stipdonk AMW, ter Horst I, Kloosterman M, et al. QRS area is a strong determinant of outcome in cardiac resynchronization therapy. *Circ Arrhythmia Electrophysiol.* 2018; 11(12):e006497.
- Ploux S, Eschaliere R, Whinnett ZI, et al. Electrical dyssynchrony induced by biventricular pacing: implications for patient selection and therapy improvement. *Heart Rhythm.* 2015;12(4): 782-791.
- Gage RM, Curtin AE, Burns KV, Ghosh S, Gillberg JM, Bank AJ. Changes in electrical dyssynchrony by body surface mapping predict left ventricular remodeling in patients with cardiac resynchronization therapy. *Heart Rhythm.* 2017;14(3):392-399.