

The very low-density lipoprotein-triacylglycerol pathway and metabolic heterogeneity in familial combined hyperlipidemia

Citation for published version (APA):

Georgieva, A. M. (2005). *The very low-density lipoprotein-triacylglycerol pathway and metabolic heterogeneity in familial combined hyperlipidemia*. [Doctoral Thesis, Maastricht University]. Universiteit Maastricht. <https://doi.org/10.26481/dis.20051103ag>

Document status and date:

Published: 01/01/2005

DOI:

[10.26481/dis.20051103ag](https://doi.org/10.26481/dis.20051103ag)

Document Version:

Publisher's PDF, also known as Version of record

Please check the document version of this publication:

- A submitted manuscript is the version of the article upon submission and before peer-review. There can be important differences between the submitted version and the official published version of record. People interested in the research are advised to contact the author for the final version of the publication, or visit the DOI to the publisher's website.
- The final author version and the galley proof are versions of the publication after peer review.
- The final published version features the final layout of the paper including the volume, issue and page numbers.

[Link to publication](#)

General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal.

If the publication is distributed under the terms of Article 25fa of the Dutch Copyright Act, indicated by the "Taverne" license above, please follow below link for the End User Agreement:

www.umlib.nl/taverne-license

Take down policy

If you believe that this document breaches copyright please contact us at:

repository@maastrichtuniversity.nl

providing details and we will investigate your claim.

Stellingen behorend bij het proefschrift:

“The Very low-density triacylglycerol pathway and metabolic heterogeneity in familial combined hyperlipidemia”

1. “Cytosolic triglyceride accumulation in nonadipose tissues such as muscle and liver is linked to the development of insulin resistance as these tissues also attempt to protect themselves from energy overload.” (GF Lewis et al., *Endocrine Reviews*, 2002; 23:201-229)
2. Glucometabolic insulin resistance of the liver can be secondary to full sensitivity to insulin-stimulated lipogenesis.
3. Hepatic steatosis is an integral part of familial combined hyperlipidemia, specifically the hypertriglyceridemic phenotype. (dit proefschrift)
4. “There is no threshold insulin cut-off value that marks the onset of insulin resistance in a given individual.” (M. Haque et al., *Best Practice and Research*, 2002; 16:709-731).
5. Insulin resistance may precede the dyslipidemia in familial combined hyperlipidemia.
6. The mechanism of hepatic secretion of heterogeneous very low-density lipoprotein subspecies is relevant to understand the metabolism of lipoproteins in familial combined hyperlipidemia and insulin resistance. (dit proefschrift)
7. The very low-density lipoprotein-triacylglycerol metabolic pathway is an important determinant of the phenotypic heterogeneity of familial combined hyperlipidemia, as characterized by multiple Fredrickson type hyperlipidemia within a family. (dit proefschrift).
8. Familial combined hyperlipidemia can be regarded as a genetic form of the metabolic syndrome.
9. The increased risk of coronary artery disease in the metabolic syndrome is associated with clustering of metabolic risk factors, rather than a single factor.
10. The light at the end of the tunnel can be a train (Murphy’s Law).
11. The best way to counteract weight gain and insulin resistance can be to limit your total calories, not just the fat intake.