

# The aetio-pathogenesis of gastric cancer : clinical and experimental studies

Citation for published version (APA):

Houben, G. M. P. (1997). *The aetio-pathogenesis of gastric cancer : clinical and experimental studies*. [Doctoral Thesis, Maastricht University]. Universiteit Maastricht. <https://doi.org/10.26481/dis.19970618gh>

## Document status and date:

Published: 01/01/1997

## DOI:

[10.26481/dis.19970618gh](https://doi.org/10.26481/dis.19970618gh)

## Document Version:

Publisher's PDF, also known as Version of record

## Please check the document version of this publication:

- A submitted manuscript is the version of the article upon submission and before peer-review. There can be important differences between the submitted version and the official published version of record. People interested in the research are advised to contact the author for the final version of the publication, or visit the DOI to the publisher's website.
- The final author version and the galley proof are versions of the publication after peer review.
- The final published version features the final layout of the paper including the volume, issue and page numbers.

[Link to publication](#)

## General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal.

If the publication is distributed under the terms of Article 25fa of the Dutch Copyright Act, indicated by the "Taverne" license above, please follow below link for the End User Agreement:

[www.umlib.nl/taverne-license](http://www.umlib.nl/taverne-license)

## Take down policy

If you believe that this document breaches copyright please contact us at:

[repository@maastrichtuniversity.nl](mailto:repository@maastrichtuniversity.nl)

providing details and we will investigate your claim.

**STELLINGEN**

behorende bij het proefschrift

**THE AETIOPATHOGENESIS OF GASTRIC CANCER**

**clinical and experimental studies**

van GMP Houben

Maastricht, 18 juni 1997

- 
- 1 Ondanks de ontdekking van *Helicobacter pylori* als een co-carcinogene factor in de etiologie van het maagcarcinoom, blijft de correlatie tussen auto-immuunaandoeningen en maagkanker overeind.

*Dit proefschrift*

- 2 Bij ernstig peptisch ulcuslijden of refluxoesofagitis verdient het de voorkeur om protonpompremmers tweemaal daags te doseren, in plaats van de ochtenddosering te verdubbelen.

*Dit proefschrift*

- 3 De bacteriële productie van nitriet in de maag is de bepalende factor bij de vorming van de potentieel carcinogene N-nitroso verbindingen.

*Dit proefschrift*

- 4 Basale en maaltijd-gestimuleerde serum gastrinewaarden volgen vrijwel lineair de mate van farmacologische zuurremming.

*Dit proefschrift*

- 5 Chromogranine A-bepaling in het plasma kan gebruikt worden als een niet-invasieve marker voor het aantal/de functie van de ECL-cellen in de maag.

*Dit proefschrift*

- 6 Bij het ontstaan van maagkanker speelt *Helicobacter pylori* waarschijnlijk met name een rol in de vroege fase; wanneer de zuurproductie in de maag verminderd is ten gevolge van atrofische gastritis vindt kolonisatie van de maag plaats met niet-*Helicobacter pylori* bacteriën, die in staat zijn de vorming van potentieel carcinogene N-nitroso verbindingen te initiëren.

*Dit proefschrift*

- 
- 7 Oost-West, thuis best geldt niet voor een Limburger die naar Zeeuws-Vlaanderen verkast.
  - 8 Voor de gezondheidszorg in Zeeuws-Vlaanderen leidt het hebben van een verdeelde medische staf tot groter adherentieverlies dan de bouw van de Westerschelde tunnel.
  - 9 De ene maatschap is de andere niet; bij ziekenhuis-fusies leidt dit niet zelden tot problemen.
  - 10 Binnen elke maatschap Interne Geneeskunde bestaande uit vier of meer leden, behoort minimaal één Gastroenteroloog met een volledige Interne opleiding werkzaam te zijn.
  - 11 Luctor et Emergo geldt de laatste jaren meer voor de inwoners van de Limburgse Maasdorpen dan voor de Zeeuwen.