

# Generative models improve radiomics

Citation for published version (APA):

Chen, J. (2023). *Generative models improve radiomics: reproducibility and performance in low dose CTs*. [Doctoral Thesis, Maastricht University]. Maastricht University. <https://doi.org/10.26481/dis.20230703jc>

## Document status and date:

Published: 01/01/2023

## DOI:

[10.26481/dis.20230703jc](https://doi.org/10.26481/dis.20230703jc)

## Document Version:

Publisher's PDF, also known as Version of record

## Please check the document version of this publication:

- A submitted manuscript is the version of the article upon submission and before peer-review. There can be important differences between the submitted version and the official published version of record. People interested in the research are advised to contact the author for the final version of the publication, or visit the DOI to the publisher's website.
- The final author version and the galley proof are versions of the publication after peer review.
- The final published version features the final layout of the paper including the volume, issue and page numbers.

[Link to publication](#)

## General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal.

If the publication is distributed under the terms of Article 25fa of the Dutch Copyright Act, indicated by the "Taverne" license above, please follow below link for the End User Agreement:

[www.umlib.nl/taverne-license](http://www.umlib.nl/taverne-license)

## Take down policy

If you believe that this document breaches copyright please contact us at:

[repository@maastrichtuniversity.nl](mailto:repository@maastrichtuniversity.nl)

providing details and we will investigate your claim.

## **Impact Paragraph**

CT radiomics has the potential to provide clinical decision support in oncology due to the wide use of CT scanning in clinical practice. [1] Due to the long-term risk posed by ionizing radiation exposure, low dose CTs have become more popular (according to the As Low As Reasonably Achievable (ALARA) principle [2]) in clinical practice, especially for screening and monitoring of populations at risk. Radiomics from low dose CT might be an effective tool for quicker and more reliable screening. [3] However, as a consequence of the low radiation exposure in low dose CT imaging, noise in such images is more pronounced and this noise decreases the reliability and performance of radiomics. Improving the reproducibility of radiomics and its performance in clinical applications from low dose CTs is therefore a timely and potentially impactful research topic.

One potential solution worth exploring for improving the reproducibility and performance of radiomics based on low dose CT is denoising the images before extracting radiomic features. As the state of art low dose CT denoising method, generative models are used as denoisers in this thesis to improve low dose CT radiomics reproducibility and performance. These studies may bring certain scientific and social impacts.

### **Scientific impacts**

1. All our studies are published in international peer-reviewed journals (such as: Computer Methods in Biomechanics and Biomedical Engineering: Imaging & Visualization, Physics in Medicine & Biology, Medical Physics, Medical Physics, Journal of Applied Clinical Medical Physics).

2. All our studies are available as open access publications.
3. **Chapter 2** investigates the beneficials of shortcuts in encoder-decoder network for CT denoising, results provided guidelines for network designing in denoising task.
4. **Chapter 3** is the first effort to improve the reproducibility of radiomic features calculated on low dose CT scans by applying generative models.
5. **Chapter 4** introduces a new lung cancer diagnosis method; this method achieves a good performance in classification with a higher interpretability.
6. **Chapter 5** is the first effort to improve the performance of radiomics-based models from features extracted from low dose CT scans.
7. **Chapter 6** assess the potential of using cycle GAN to denoise low dose CTs and improve radiomics reproducibility and performance.

### **Social impacts**

1. Codes and important pre-trained generative models of this thesis are available for public use as open source; we hope that these can help medical physicists and other care professionals to remove barriers for applying generative models for low dose CT radiomics.
2. Our proposed lung cancer diagnosis solution can improve the detection and management of early lung cancer, and we hope our method can reduce the mortality of lung cancer for patients.

3. Improving low dose CT radiomics performance may reduce ionizing radiation exposure for patients and therefore reduce the number of cancers and other diseases caused by this exposure.

**References:**

- [1] Ibrahim, Abdalla, et al. "Radiomics analysis for clinical decision support in nuclear medicine." *Seminars in nuclear medicine*. Vol. 49. No. 5. WB Saunders, 2019.
- [2] Musolino, Stephen V., Joseph DeFranco, and Richard Schlueck. "The ALARA principle in the context of a radiological or nuclear emergency." *Health physics* 94.2 (2008): 109-111.
- [3] Homayounieh, Fatemeh, et al. "Prediction of coronary calcification and stenosis: role of radiomics from Low-Dose CT." *Academic Radiology* 28.7 (2021): 972-979.