

Comparison of magnetization transfer methods for assessing macromolecular bound water in the brain and cervical spinal cord

Citation for published version (APA):

Lema Dopico, A. (2017). *Comparison of magnetization transfer methods for assessing macromolecular bound water in the brain and cervical spinal cord*. Maastricht University. <https://doi.org/10.26481/dis.20170626ald>

Document status and date:

Published: 01/01/2017

DOI:

[10.26481/dis.20170626ald](https://doi.org/10.26481/dis.20170626ald)

Document Version:

Publisher's PDF, also known as Version of record

Please check the document version of this publication:

- A submitted manuscript is the version of the article upon submission and before peer-review. There can be important differences between the submitted version and the official published version of record. People interested in the research are advised to contact the author for the final version of the publication, or visit the DOI to the publisher's website.
- The final author version and the galley proof are versions of the publication after peer review.
- The final published version features the final layout of the paper including the volume, issue and page numbers.

[Link to publication](#)

General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal.

If the publication is distributed under the terms of Article 25fa of the Dutch Copyright Act, indicated by the "Taverne" license above, please follow below link for the End User Agreement:

www.umlib.nl/taverne-license

Take down policy

If you believe that this document breaches copyright please contact us at:

repository@maastrichtuniversity.nl

providing details and we will investigate your claim.

APPENDIX D

Propositions

Comparison of magnetization transfer methods for assessing macromolecular bound water in the brain and cervical spinal cord

Alfonso Lema Dopico

Maastricht, 26th of June, 2017

1. MTsat and MTR measures both differentiate disability levels in brain and spinal cord for people with multiple sclerosis
2. MTsat may be more sensitive to microstructural changes associated with pathology in the normal appearing white matter
3. MTsat also could be a more sensitive parameter than MTR in the cervical spinal cord and can differentiate people with MS who suffer mild disability
4. No significant correlations were found between MT parameters in the brain and cervical spinal cord for people with MS, even though mixed models reflected a minor relationship
5. Potentially more specific chemical exchange saturation transfer (CEST) methods could be applied to characterise molecules in myelin associating with water
6. Correlative *post mortem* studies could further contribute to validation of MTsat as a measure related to demyelination and axonal loss

7. Longitudinal studies combining multiple current MRI (and new PET) measures of axon and myelin integrity will help to define those measures most sensitive to change over time and their clinical correlates
8. MTsat enhances the sensitivity of current methods to detecting pathology, is able to be implemented on standard platforms and may provide a useful secondary outcome measure for clinical trials with development of harmonisation and quality control methods. Validation, software and methods for this provide opportunities for commercial development.