

# Behavioral and molecular consequences of a 'double-hit' challenge on the pathogenesis of mouse models of depression and amyotrophic lateral sclerosis (ALS)

Citation for published version (APA):

Trofimov, A. (2024). Behavioral and molecular consequences of a 'double-hit' challenge on the pathogenesis of mouse models of depression and amyotrophic lateral sclerosis (ALS). [Doctoral Thesis, Maastricht University]. Maastricht University. <https://doi.org/10.26481/dis.20240205at>

**Document status and date:**

Published: 01/01/2024

**DOI:**

[10.26481/dis.20240205at](https://doi.org/10.26481/dis.20240205at)

**Document Version:**

Publisher's PDF, also known as Version of record

**Please check the document version of this publication:**

- A submitted manuscript is the version of the article upon submission and before peer-review. There can be important differences between the submitted version and the official published version of record. People interested in the research are advised to contact the author for the final version of the publication, or visit the DOI to the publisher's website.
- The final author version and the galley proof are versions of the publication after peer review.
- The final published version features the final layout of the paper including the volume, issue and page numbers.

[Link to publication](#)

**General rights**

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal.

If the publication is distributed under the terms of Article 25fa of the Dutch Copyright Act, indicated by the "Taverne" license above, please follow below link for the End User Agreement:

[www.umlib.nl/taverne-license](http://www.umlib.nl/taverne-license)

**Take down policy**

If you believe that this document breaches copyright please contact us at:

[repository@maastrichtuniversity.nl](mailto:repository@maastrichtuniversity.nl)

providing details and we will investigate your claim.

Download date: 14 Jan. 2025

## Valorization

### *Relevance for society*

Major depressive disorder (MDD) remains to be one of the most common neuropsychiatric disorders recognized among the top causes of health loss worldwide. The etiology of MDD is multifactorial and comprises both hereditary and environmental factors, including stressful and pro-inflammatory triggers. A combination of disease-driven ‘sterile’ inflammation due to emotional stress or genetically-determined neurodegeneration and pathogen-induced inflammation is a common clinical situation. An interaction of various factors when combined may lead to an altered progression of pathological processes in the CNS, including possible exacerbation of neuropsychiatric outcomes. Investigation of molecular mechanisms of such interactions is necessary for better understanding of the factors influencing the onset and progression of MDD, which will be used for the development of therapeutic approaches. Additionally, the FUS[1-359]-tg mouse line used in this study can serve as a useful model to further explore the role of microglia and inflammation in the mechanisms of ALS/FTLD syndrome.

### *Target groups*

Patients with specific etiological factors of neuropsychiatric disorders, such as abnormal HPA activity due to chronic stress or neurodegenerative processes, and systemic inflammation. The combination of both factors may exacerbate neuropsychiatric symptoms.

### *Activity / Products*

My work has demonstrated that the use of anti-inflammatory treatments can be beneficial in the management of neuropsychiatric and neurodegenerative disorders. The exploitation of coxibs in the management of depressive-like syndrome can be such example, suggesting that this therapeutic approach needs further investigation and development.

### *Innovation*

My work is innovative in terms of exploitation of animal models that mimic an interplay between etiological factors of neuropsychiatric disorders rather than use a single challenge. This approach is likely to result in more valid translational research, as a combination of various etiological factors for neuropsychiatric disorders with a systemic inflammation represent a common clinical situation, and an interaction between systemic inflammation and specific etiological factors of neuropsychiatric disorders can exacerbate their symptoms.

### *Implementation*

The results of my research have been published in peer-reviewed international journals, presented at international conferences, and contributed to our understanding of the overlapping molecular mechanisms underlying depressive syndrome induced by emotional stress, neurodegeneration, and systemic inflammation.