

BMP7 as a multifactorial growth factor for cartilage homeostasis

Citation for published version (APA):

Ripmeester, E. G. J. (2021). *BMP7 as a multifactorial growth factor for cartilage homeostasis*. Maastricht University. <https://doi.org/10.26481/dis.20210930er>

Document status and date:

Published: 01/01/2021

DOI:

[10.26481/dis.20210930er](https://doi.org/10.26481/dis.20210930er)

Document Version:

Publisher's PDF, also known as Version of record

Please check the document version of this publication:

- A submitted manuscript is the version of the article upon submission and before peer-review. There can be important differences between the submitted version and the official published version of record. People interested in the research are advised to contact the author for the final version of the publication, or visit the DOI to the publisher's website.
- The final author version and the galley proof are versions of the publication after peer review.
- The final published version features the final layout of the paper including the volume, issue and page numbers.

[Link to publication](#)

General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal.

If the publication is distributed under the terms of Article 25fa of the Dutch Copyright Act, indicated by the "Taverne" license above, please follow below link for the End User Agreement:

www.umlib.nl/taverne-license

Take down policy

If you believe that this document breaches copyright please contact us at:

repository@maastrichtuniversity.nl

providing details and we will investigate your claim.

STELLINGEN BEHORENDE BIJ HET PROEFSCHRIFT

BMP7 as a Multifactorial Growth Factor for Cartilage Homeostasis

Ellen G.J. Ripmeester

- 1) Development of an OA-associated chondrocyte phenotype can be the result of activation of one or multiple differential signaling pathways, all leading to the development and progression of OA (*this thesis*).
- 2) The fibrocartilage chondrocyte phenotype has a negative predictive value for OA and is an interesting target for the development of a novel disease-modifying OA drug (*this thesis*).
- 3) BMP7 influences the phenotype of chondrocytes in a ribosome biogenesis-dependent manner via key chondrocyte transcription factors (*this thesis*).
- 4) BMP7-derived peptides have the potential to become a novel disease-modifying treatment for OA (*this thesis*).
- 5) Besides its anti-hypertrophic properties, the BMP7-derived peptides also have potential for cartilage regenerative purposes.
- 6) Successful future clinical use of novel disease-modifying OA drugs will depend on the identification of specific OA phenotypes and their differential diagnosis.
- 7) Peptide library screenings have a high potential for the identification of future disease-modifying OA drugs.
- 8) The clinical implementation of disease modifying OA drugs is essential to avoid or postpone total joint-replacement surgery, especially for the growing population of young OA patients.
- 9) “Persistence guarantees that results are inevitable.” (*Paramahansa Yogananda*)
- 10) “Naet mier aan dinke, ’t haet toch gen nut, want vanaaf ’t begin zien dien kaartje geschud.” (*Rowwen Hèze – De neus umhoeg*)