

Validation of the Surgical Fear Questionnaire in Adult Patients Waiting for Elective Surgery (vol 9, e100225, 2014)

Citation for published version (APA):

Theunissen, M., Peters, M. L., Schouten, E. G. W., Fiddelaers, A. A. A., Willemsen, M. G. A., Pinto, P. R., Gramke, H-F., & Marcus, M. A. E. (2016). Validation of the Surgical Fear Questionnaire in Adult Patients Waiting for Elective Surgery (vol 9, e100225, 2014). *PLOS ONE*, 11(9), 1-2. [0162737]. <https://doi.org/10.1371/journal.pone.0162737>

Document status and date:

Published: 09/09/2016

DOI:

[10.1371/journal.pone.0162737](https://doi.org/10.1371/journal.pone.0162737)

Document Version:

Publisher's PDF, also known as Version of record

Please check the document version of this publication:

- A submitted manuscript is the version of the article upon submission and before peer-review. There can be important differences between the submitted version and the official published version of record. People interested in the research are advised to contact the author for the final version of the publication, or visit the DOI to the publisher's website.
- The final author version and the galley proof are versions of the publication after peer review.
- The final published version features the final layout of the paper including the volume, issue and page numbers.

[Link to publication](#)

General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal.

If the publication is distributed under the terms of Article 25fa of the Dutch Copyright Act, indicated by the "Taverne" license above, please follow below link for the End User Agreement:

www.umlib.nl/taverne-license

Take down policy

If you believe that this document breaches copyright please contact us at:

repository@maastrichtuniversity.nl

providing details and we will investigate your claim.

CORRECTION

Correction: Validation of the Surgical Fear Questionnaire in Adult Patients Waiting for Elective Surgery

Maurice Theunissen, Madelon L. Peters, Erik G. W. Schouten, Audrey A. A. Fiddeliers, Mark G. A. Willemsen, Patricia R. Pinto, Hans-Fritz Gramke, Marco A. E. Marcus

There are three errors in the “Predictor” column of Table 7. For the last APSP, CPSP, and GSR “Outcome” rows, the correct predictor should be SFQ-1, not SGQ-1. Please view the corrected table below.



 OPEN ACCESS

Citation: Theunissen M, Peters ML, Schouten EGW, Fiddeliers AAA, Willemsen MGA, Pinto PR, et al. (2016) Correction: Validation of the Surgical Fear Questionnaire in Adult Patients Waiting for Elective Surgery. PLoS ONE 11(9): e0162737. doi:10.1371/journal.pone.0162737

Published: September 9, 2016

Copyright: © 2016 Theunissen et al. This is an open access article distributed under the terms of the [Creative Commons Attribution License](https://creativecommons.org/licenses/by/4.0/), which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited.

Table 7. Predictive validity of the SFQ, SFQ-s and SFQ-I.

Outcome	Predictor	Study 1		Study 4	
		OR	(95 CI)	OR	(95 CI)
APSP	SFQ	2.73	(1.59–4.69)***	2.35	(1.81–3.04)***
APSP	SFQ-s	1.83	(1.08–3.10)	2.12	(1.64–2.73)***
APSP	SFQ-I	3.55	(1.99–6.32)***	2.62	(2.02–3.39)***
CPSP	SFQ	1.77	(1.25–2.51)**	2.28	(1.56–3.34)***
CPSP	SFQ-s	1.66	(1.16–2.37)**	1.66	(1.15–2.39)**
CPSP	SFQ-I	1.77	(1.24–2.51)**	3.05	(2.06–4.51)***
GSR	SFQ	0.44	(0.31–0.62)***	0.56	(0.41–0.77)***
GSR	SFQ-s	0.61	(0.43–0.87)**	0.77	(0.56–1.05)
GSR	SFQ-I	0.44	(0.31–0.63)***	0.40	(0.29–0.55)***

Bivariate logistic regression with median split SFQ, SFQ short term and SFQ long term as predictor. APSP: acute postsurgical pain on day 4. CPSP: chronic postsurgical pain after 6 months in Study 1, after one year in Study 4. Pain scores were dichotomized using a cut of value of 40 for the VAS/NRS. GSR: global surgical recovery on a scale of 0–100%, values of 80–100% were considered as good recovery; long term GSR after 6 months in Study 1, after one year in Study 4.

To adjust for multiple testing a Bonferroni correction was applied: a *p*-value <0.017 was considered statistically significant.

***p* <0.01,

****p* <0.001.

doi:10.1371/journal.pone.0162737.t001

Reference

1. Theunissen M, Peters ML, Schouten EGW, Fiddelaers AAA, Willemsen MGA, Pinto PR, et al. (2014) Validation of the Surgical Fear Questionnaire in Adult Patients Waiting for Elective Surgery. PLoS ONE 9(6): e100225. doi:10.1371/journal.pone.0100225 PMID: 24960025